# **Product Datasheet**

## Axin-2 Antibody (JM11-30) NBP2-67175

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-67175

Updated 1/3/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-67175



## NBP2-67175

Axin-2 Antibody (JM11-30)

Axiii-2 Aftibody (Jivi i 1-30)	
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JM11-30
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol
Product Description	
Host	Rabbit
Gene Symbol	AXIN2
Species	Human, Mouse, Rat
Immunogen	Synthetic peptide within Human Axin-2 aa 55-93 / 843. (SwissProt: Q9Y2T1 Human; SwissProt: O88566 Mouse; SwissProt: O70240 Rat)
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-1:2000, Immunohistochemistry, Immunohistochemistry-


<b>Product Application Details</b>	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-1:2000, Immunohistochemistry, Immunohistochemistry- Paraffin 1:10-1:50

### **Images**


Western Blot: Axin-2 Antibody (JM11-30) [NBP2-67175] - Analysis of Axin2 on different lysates. Proteins were transferred to a PVDF membrane and blocked with 5% BSA in PBS for 1 hour at room temperature. The primary antibody (1/500) was used in 5% BSA at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1:200,000 dilution was used for 1 hour at room temperature. Positive control: Lane 2: SW480 cell lysate Lane 1: PC-12 tissue lysate Lane 2: NIH/3T3 cell lysate

1 2 3 kDa -250 -150 -100 -75 -50

Immunohistochemistry-Paraffin: Axin-2 Antibody (JM11-30) [NBP2-67175] - Analysis of paraffin-embedded mouse colon tissue using anti-Axin2 antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: Axin-2 Antibody (JM11-30) [NBP2-67175] - Analysis of paraffin-embedded mouse brain tissue using anti-Axin2 antibody. Counter stained with hematoxylin.





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

## Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67175

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

