

Product Datasheet

TMEM200A Antibody (4-B3)

NBP2-67214

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-67214

Updated 1/3/2023 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-67214



NBP2-67214**TMEM200A Antibody (4-B3)**


Product Information	
Unit Size	100 ul
Concentration	2 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	4-B3
Preservative	0.05% Sodium Azide
Isotype	IgG1
Purity	Immunogen affinity purified
Buffer	PBS (pH7.4), 0.2% BSA, 40% Glycerol

Product Description	
Host	Mouse
Gene Symbol	TMEM200A
Species	Human, Mouse
Reactivity Notes	Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-questions.
Immunogen	Recombinant protein within Human TMEM200A aa 59-359 / 491. (SwissProt: Q86VY9 Human; SwissProt: Q8C817 Mouse)


Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:100, Immunohistochemistry-Paraffin 1:50

Images


Western Blot: TMEM200A Antibody (4-B3) [NBP2-67214] - Analysis on A:A549,B:HepG2 cell lysates using anti-TMEM200A Mouse mAb.




Immunocytochemistry/Immunofluorescence: TMEM200A Antibody (4-B3) [NBP2-67214] - ICC staining TMEM200A (red) in F9 cells. The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilized with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: TMEM200A Antibody (4-B3) [NBP2-67214] - Immunohistochemical analysis of paraffin-embedded human pancreas tissue using anti-TMEM200A antibody. Counter stained with hematoxylin.




Immunocytochemistry/Immunofluorescence: TMEM200A Antibody (4-B3) [NBP2-67214] - Staining of NIH/3T3 cells using anti-TMEM200A Mouse mAb.



Immunocytochemistry/Immunofluorescence: TMEM200A Antibody (4-B3) [NBP2-67214] - ICC staining TMEM200A (green) in HepG2 cells. The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilized with 0.25% Triton X100/PBS.



Immunohistochemistry-Paraffin: TMEM200A Antibody (4-B3) [NBP2-67214] - Analysis of paraffin- embedded human pancreas tissue using anti-TMEM200A Mouse mAb.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-
techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis.
Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67214

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

