Product Datasheet

t-Plasminogen Activator/tPA Antibody (AH81-00) NBP2-67280

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-67280

Updated 3/2/2022 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-67280



NBP2-67280

t-Plasminogen Activator/tPA Antibody (AH81-00)


Unit Size 100 ul Concentration 2 mg/ml Storage Store at -20C. Avoid freeze-thaw cycles. Clonality Monoclonal Clone AH81-00 Preservative 0.2% Sodium Azide Isotype IgG1 Purity Protein A purified Buffer TBS (pH7.4), 1%BSA, 40%Glycerol	Product Information	
Storage Store at -20C. Avoid freeze-thaw cycles. Clonality Monoclonal Clone AH81-00 Preservative 0.2% Sodium Azide Isotype IgG1 Purity Protein A purified	Unit Size	100 ul
Clonality Monoclonal Clone AH81-00 Preservative 0.2% Sodium Azide Isotype IgG1 Purity Protein A purified	Concentration	2 mg/ml
Clone AH81-00 Preservative 0.2% Sodium Azide Isotype IgG1 Purity Protein A purified	Storage	Store at -20C. Avoid freeze-thaw cycles.
Preservative 0.2% Sodium Azide Isotype IgG1 Purity Protein A purified	Clonality	Monoclonal
Isotype IgG1 Purity Protein A purified	Clone	AH81-00
Purity Protein A purified	Preservative	0.2% Sodium Azide
	Isotype	IgG1
Buffer TBS (pH7.4), 1%BSA, 40%Glycerol	Purity	Protein A purified
	Buffer	TBS (pH7.4), 1%BSA, 40%Glycerol

Product Description	
Host	Mouse
Gene Symbol	PLAT
Species	Human, Mouse, Rat
Reactivity Notes	Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any. Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-questions.
Immunogen	Full length protein


Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:1000-1:5000, ELISA 1:5000-1:10000, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunohistochemistry-Paraffin 1:50-1:200

Images


Immunocytochemistry/Immunofluorescence: t-Plasminogen Activator/tPA Antibody (AH81-00) [NBP2-67280] - Staining TPA in N2A cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: t-Plasminogen Activator/tPA Antibody (AH81-00) [NBP2-67280] - Analysis of paraffin-embedded mouse skeletal muscle tissue using anti-TPA Tubulin antibody. Counter stained with hematoxylin.




Immunocytochemistry/Immunofluorescence: t-Plasminogen Activator/tPA Antibody (AH81-00) [NBP2-67280] - Staining TPA in A549 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunocytochemistry/Immunofluorescence: t-Plasminogen Activator/tPA Antibody (AH81-00) [NBP2-67280] - Staining TPA in HepG2 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: t-Plasminogen Activator/tPA Antibody (AH81-00) [NBP2-67280] - Analysis of paraffin-embedded human liver tissue using anti-TPA antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: t-Plasminogen Activator/tPA Antibody (AH81-00) [NBP2-67280] - Analysis of paraffin-embedded mouse brain tissue using anti-TPA antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: t-Plasminogen Activator/tPA Antibody (AH81-00) [NBP2-67280] - Analysis of paraffin-embedded mouse liver tissue using anti-TPA antibody. Counter stained with hematoxylin.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67280

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

