# **Product Datasheet**

## Bcl-xL Antibody (SZ3-03) NBP2-67363

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-67363

Updated 1/3/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-67363



### NBP2-67363

Species

Immunogen


Bcl-xL Antibody (SZ3-03)

201 A27 IIII20 dy (020 00)	
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	SZ3-03
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol
Product Description	
Host	Rabbit
Gene Symbol	BCL2L1


	Human; SwissProt: Q64373 Mouse; SwissProt: P53563 Rat)
<b>Product Application Details</b>	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000-1:5000, Flow Cytometry 1:50-1:100, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunoprecipitation, Immunohistochemistry-Paraffin 1:50-1:1000
Application Notes	IP: Use at an assay dependent concentration.

Synthetic peptide within Human Bcl-xL aa 37-86 / 233. (SwissProt: Q07817


Human, Mouse, Rat




Immunocytochemistry/Immunofluorescence: Bcl-xL Antibody (SZ3-03) [NBP2-67363] - Staining Bcl-XL in MCF-7 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: Bcl-xL Antibody (SZ3-03) [NBP2-67363] - Analysis of paraffin-embedded human kidney tissue using anti-Bcl-XL antibody. Counter stained with hematoxylin.




Flow Cytometry: Bcl-xL Antibody (SZ3-03) [NBP2-67363] - Analysis of Hela cells with Bcl-XL antibody at 1/50 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black). Alexa Fluor 488-conjugated goat anti rabbit IgG was used as the secondary antibody.




Immunocytochemistry/Immunofluorescence: Bcl-xL Antibody (SZ3-03) [NBP2-67363] - Staining Bcl-XL in Hela cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunocytochemistry/Immunofluorescence: Bcl-xL Antibody (SZ3-03) [NBP2-67363] - Staining Bcl-XL in HepG2 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



Immunohistochemistry-Paraffin: Bcl-xL Antibody (SZ3-03) [NBP2-67363] - Analysis of paraffin-embedded human breast carcinoma tissue using anti-Bcl-XL antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: Bcl-xL Antibody (SZ3-03) [NBP2-67363] - Analysis of paraffin-embedded human colon cancer tissue using anti-Bcl-XL antibody. Counter stained with hematoxylin.





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

# **General Contact Information**

canada.inquires@bio-techne.com

**Bio-Techne Canada** 

Toronto, ON M8Z 4E6

Phone: 905.827.6400

Fax: 905.827.6402

Toll Free: 855.668.8722

21 Canmotor Ave

Canada

www.novusbio.com Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67363

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

