# **Product Datasheet**

# Cytokeratin 5/75 Antibody (SC62-04) NBP2-67586

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-67586

Updated 9/9/2025 v.20.1


Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-67586




#### NBP2-67586


Cytokeratin 5/75 Antibody (S	C62-04)
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	SC62-04
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol
Product Description	
Description	Novus Biologicals Rabbit Cytokeratin 5/75 Antibody (SC62-04) (NBP2-67586) is a recombinant monoclonal antibody validated for use in IHC, WB, Flow and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	3852
Gene Symbol	KRT5
Species	Human, Mouse, Rat
Immunogen	Synthetic peptide within human Cytokeratin 5/75 aa 70-110. (SwissProt: P13647 Human)
<b>Product Application Detail</b>	s
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500-1:2000, Flow Cytometry 1:1000, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:200, Immunohistochemistry-Paraffin 1:50-1:500
Images	
Western blot analysis of Cyte	75 Antibody (SC62-04) [NBP2-67586] - kDa okeratin 5/75 on A431 cell lysates. Proteins




Immunohistochemistry-Paraffin: Cytokeratin 5/75 Antibody (SC62-04) [NBP2-67586] - Immunohistochemical analysis of paraffin-embedded human tonsil tissue using anti-Cytokeratin 5/75 antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 minutes at room temperature, washed with ddH2O and PBS, and then probed with the primary antibody (ET1610-43, 1/50) for 30 minutes at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.




Western Blot: Cytokeratin 5/75 Antibody (SC62-04) [NBP2-67586] - Analysis of Cytokeratin 5 on A431 cell lysates using anti-Cytokeratin 5 antibody at 1/1,000 dilution.




Immunohistochemistry-Paraffin: Cytokeratin 5/75 Antibody (SC62-04) [NBP2-67586] - Analysis of paraffin-embedded human breast carcinoma tissue using anti-Cytokeratin 5 antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: Cytokeratin 5/75 Antibody (SC62-04) [NBP2-67586] - Analysis of paraffin-embedded human liver cancer tissue using anti-Cytokeratin 5 antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: Cytokeratin 5/75 Antibody (SC62-04) [NBP2-67586] - Analysis of paraffin-embedded human tonsil tissue using anti-Cytokeratin 5 antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: Cytokeratin 5/75 Antibody (SC62-04) [NBP2-67586] - Immunohistochemical analysis of paraffin-embedded human lung carcinoma tissue using anti-Cytokeratin 5/75 antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 minutes at room temperature, washed with ddH2O and PBS, and then probed with the primary antibody (ET1610-43, 1/200) for 30 minutes at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.



Immunohistochemistry-Paraffin: Cytokeratin 5/75 Antibody (SC62-04) [NBP2-67586] - Immunohistochemical analysis of paraffin-embedded human skin tissue using anti-Cytokeratin 5/75 antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 minutes at room temperature, washed with ddH2O and PBS, and then probed with the primary antibody (ET1610-43, 1/200) for 30 minutes at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-67586**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control
1129-ER-050 ErbB2/Her2 [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67586

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

