## **Product Datasheet**

# hnRNP C1 + C2 Antibody (SN0652) NBP2-67656

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-67656

Updated 1/3/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-67656



### NBP2-67656

hnRNP C1 + C2 Antibody (SN0652)


	- ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		
<b>Product Information</b>			
Unit Size	100 ul		
Concentration	1 mg/ml		
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.		
Clonality	Monoclonal		
Clone	SN0652		
Preservative	0.05% Sodium Azide		
Isotype	IgG		
Purity	Protein A purified		
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol		
Duadret Description	Draduct Description		

Product Description	
Host	Rabbit
Gene Symbol	HNRNPC
Species	Human, Mouse, Rat, Zebrafish
Immunogen	Recombinant protein of Human hnRNP C1 + C2 aa 60-190 / 306. (SwissProt: P07910 Human; SwissProt: Q9Z204 Mouse; SwissProt: P17132 Rat)


<b>Product Application Details</b>	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000-1:5000, Flow Cytometry 1:50-1:100, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:100-1:500, Immunoprecipitation, Immunohistochemistry-Paraffin 1:50-1:200

## **Images**


Western Blot: hnRNP C1 + C2 Antibody (SN0652) [NBP2-67656] - Analysis of hnRNP C1+C2 on different lysates using anti-hnRNP C1+C2 antibody at 1/1,000 dilution. Positive control: Lane 1: Hela Lane 2: MCF-7 Lane 3: HepG2




Immunocytochemistry/Immunofluorescence: hnRNP C1 + C2 Antibody (SN0652) [NBP2-67656] - Staining hnRNP C1+C2 in B16-F1 (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: hnRNP C1 + C2 Antibody (SN0652) [NBP2-67656] - Analysis of paraffin-embedded mouse skin tissue using anti-hnRNP C1+C2 antibody. Counter stained with hematoxylin.




Flow Cytometry: hnRNP C1 + C2 Antibody (SN0652) [NBP2-67656] - Analysis of Hela cells with hnRNP C1+C2 antibody at 1/50 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black). Alexa Fluor 488-conjugated goat anti rabbit IgG was used as the secondary antibody




Immunocytochemistry/Immunofluorescence: hnRNP C1 + C2 Antibody (SN0652) [NBP2-67656] - Staining hnRNP C1+C2 in Hela cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunocytochemistry/Immunofluorescence: hnRNP C1 + C2 Antibody (SN0652) [NBP2-67656] - Staining hnRNP C1+C2 in MCF-7 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: hnRNP C1 + C2 Antibody (SN0652) [NBP2-67656] - Analysis of paraffin-embedded human breast carcinoma tissue using anti-hnRNP C1+C2 antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: hnRNP C1 + C2 Antibody (SN0652) [NBP2-67656] - Analysis of paraffin-embedded human kidney tissue using anti-hnRNP C1+C2 antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: hnRNP C1 + C2 Antibody (SN0652) [NBP2-67656] - Analysis of paraffin-embedded mouse brain tissue using anti-hnRNP C1+C2 antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: hnRNP C1 + C2 Antibody (SN0652) [NBP2-67656] - Analysis of paraffin-embedded mouse placenta tissue using anti-hnRNP C1+C2 antibody. Counter stained with hematoxylin.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67656

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

