

Product Datasheet

HDAC10 Antibody (SD08-11) NBP2-67801

Unit Size: 100 μ l

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-67801

Updated 1/3/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-67801



NBP2-67801

HDAC10 Antibody (SD08-11)

Product Information

| | |
|----------------------|--|
| Unit Size | 100 ul |
| Concentration | 1 mg/ml |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Monoclonal |
| Clone | SD08-11 |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG |
| Purity | Protein A purified |
| Buffer | TBS (pH7.4), 0.05% BSA, 40% Glycerol |

Product Description


| | |
|--------------------|--|
| Host | Rabbit |
| Gene Symbol | HDAC10 |
| Species | Human, Mouse |
| Immunogen | Synthetic peptide within Human HDAC10 aa 339-388 / 669. (SwissProt: Q969S8 Human; SwissProt: Q6P3E7 Mouse) |

Product Application Details


| | |
|------------------------------|--|
| Applications | Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation |
| Recommended Dilutions | Western Blot 1:1000, Immunohistochemistry 1:50-1:200, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunoprecipitation, Immunohistochemistry-Paraffin |

Images


Western Blot: HDAC10 Antibody (SD08-11) [NBP2-67801] - Analysis of HDAC10 on HepG2 cells lysates using anti-HDAC10 antibody at 1/1,000 dilution.




Immunocytochemistry/Immunofluorescence: HDAC10 Antibody (SD08-11) [NBP2-67801] - Staining HDAC10 in HeLa cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: HDAC10 Antibody (SD08-11) [NBP2-67801] - Immunohistochemical analysis of paraffin-embedded Human placenta tissue using anti-HDAC10 antibody. Counter stained with hematoxylin.



Immunocytochemistry/Immunofluorescence: HDAC10 Antibody (SD08-11) [NBP2-67801] - Staining HDAC10 in A431 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



Immunocytochemistry/Immunofluorescence: HDAC10 Antibody (SD08-11) [NBP2-67801] - Staining HDAC10 in A549 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67801

**Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications**