

Product Datasheet

TrkA Antibody (JJ084-04)

NBP2-67841

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-67841

Updated 1/3/2023 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-67841



NBP2-67841

TrkA Antibody (JJ084-04)


Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JJ084-04
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol

Product Description	
Host	Rabbit
Gene Symbol	NTRK1
Species	Human, Mouse, Rat
Immunogen	Synthetic peptide within Human TrkA aa 773-822 / 822. (SwissProt: P04629 Human; SwissProt: Q16288 Human; SwissProt: Q16620 Human; SwissProt: Q3UFB7 Mouse; SwissProt: P15209 Mouse; SwissProt: Q6VNS1 Mouse; SwissProt: P35739 Rat; SwissProt: Q63604 Rat; SwissProt: Q03351 Rat)


Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:1000-1:5000, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunohistochemistry-Paraffin 1:50-1:200

Images


Western Blot: TrkA Antibody (JJ084-04) [NBP2-67841] - Analysis of TrkA +B+C on different lysates using anti-TrkA+B+C antibody at 1/1,000 dilution. Positive control: Lane 1: Rat brain Lane 2: Mouse brain




Immunocytochemistry/Immunofluorescence: TrkA Antibody (JJ084-04) [NBP2-67841] - Staining TrkA+B+C in N2A cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: TrkA Antibody (JJ084-04) [NBP2-67841] - Analysis of paraffin-embedded mouse liver tissue using anti-TrkA+B+C antibody. Counter stained with hematoxylin.



Immunocytochemistry/Immunofluorescence: TrkA Antibody (JJ084-04) [NBP2-67841] - Staining TrkA+B+C in SH-SY-5Y cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



Immunohistochemistry-Paraffin: TrkA Antibody (JJ084-04) [NBP2-67841] - Analysis of paraffin-embedded mouse brain tissue using anti-TrkA+B+C antibody. Counter stained with hematoxylin.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67841

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

