

Product Datasheet

Rabbit anti-Goat Light Chain Secondary Antibody NBP2-69509

Unit Size: 1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-69509

Updated 4/11/2022 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-69509



NBP2-69509**Rabbit anti-Goat Light Chain Secondary Antibody**

Product Information	
Unit Size	1 ml
Concentration	LYOPH mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Reconstitution Instructions	Reconstitute by adding 1 ml sterile distilled water. Working dilutions are prepared by adding sterile phosphate buffered saline (PBS, pH 7.2).
Purity	Whole Antiserum
Buffer	Whole antiserum

Product Description	
Host	Rabbit
Species	Goat
Reactivity Notes	Inter-species cross-reactivity is a normal feature of antibodies to immunoglobulins, since Ig of different species frequently share antigenic determinants. Cross-reactivity of this antiserum has not been tested in detail, but a wide scale of reactivity with IgG of other mammalian species must be assumed. The degree of cross-reactivity depends in addition to the phylogenetic relationship also on the concentrations of the reactants and the sensitivity of the assay format.
Specificity/Sensitivity	As tested in immunoelectrophoresis and double radial immunodiffusion against pooled normal goat serum and purified IgG fractions and light chain preparations, the antiserum reacts with determinants exposed on the surface (SD) and the Fab portion of all intact immunoglobulins, with Fab or F(ab') ₂ subunits, and with free light chains of both types. This antiserum is not kappa or lambda chain specific. It does not react with any non-Ig protein in goat serum, as tested by immunoelectrophoresis and double radial immunodiffusion.
Immunogen	Purified light chains isolated from polyclonal goat IgG. Freund's complete adjuvant is used in the first step of the immunization procedure.
Notes	The lyophilized antiserum is shipped at ambient temperature and may be stored at 4C; prolonged storage at or below -20C. Working dilutions are prepared by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the product

Product Application Details	
Applications	Immunoelectrophoresis
Recommended Dilutions	Immunoelectrophoresis
Application Notes	Precipitation assays. In immunoelectrophoresis use 2 ul or equivalent against 120 ul antiserum. In double radial immunodiffusion (Ouchterlony) use a rosette arrangement with 10 ul antiserum in a 3 mm diameter center well and 2 ul serum samples (neat and serially diluted) in 2 mm diameter peripheral wells. In single immunodiffusion, use 1% antiserum in agar gel to establish a standard curve. Precipitation assays



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-69509

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

