Product Datasheet

Rabbit anti-Mouse IgM Fc Secondary Antibody [TRITC] NBP2-69730

Unit Size: 1 ml

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-69730

Updated 11/2/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-69730



NBP2-69730

Rabbit anti-Mouse IgM Fc Secondary Antibody [TRITC]

Unit Size 1 ml Concentration LYOPH mg/ml Storage Store at 4C in the dark. Clonality Polyclonal Preservative No Preservative Reconstitution Instructions Reconstitute by by adding 1 ml sterile distilled water, spun down to remove insoluble particles, divided into small aliquots, frozen and stored at or below - 20C. Conjugate TRITC Purity Ion exchange chromatography Buffer Lyophilized from PBS (pH 7.2) Product Description The lyophilized conjugate is shipped at ambient temperature and may be stored at 4C; prolonged storage at or below -20C. Prior to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, or or forzor, and preferably used the same day. If a slipp recipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate. Host Rabbit Species Mouse Reactivity Notes The antiserum does not cross react with any other component of the Mouse immunoglobulin system. Inter-species cross-reactivity is a normal feature of antigenic determinants. Cross-reactivity of this antiserum has not been tested in antigenic determinants. Cross-reactivity of this antiserum has not been tested in antity entities antigenic determinants. Cross-r	Product Information	
Storage Store at 4C in the dark. Clonality Polyclonal Preservative No Preservative Reconstitution Instructions Reconstitute by by adding 1 ml sterile distilled water, spun down to remove insoluble particles, divided into small aliquots, frozen and stored at or below - 20C. Conjugate TRITC Purity Ion exchange chromatography Buffer Lyophilized rom PBS (pH 7.2) Product Description The lyophilized conjugate is shipped at ambient temperature and may be stored at 4C; prolonged storage at or below -20C. Prior to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate. Host Rabbit Species Mouse Reactivity Notes The ractivity of the antiserum does not cross react with any other component of the Mouse immunoglobulim system. Inter-species cross-reactivity is an ormal feature of antigonic determinants. Cross-reactivity of this antiserum has not been tested in detail. Specificity/Sensitivity The reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strici sotypic (class) specificit	Unit Size	1 ml
Cloality Polyclonal Preservative No Preservative Reconstitution Instructions Reconstitute by by adding 1 ml sterile distilled water, spun down to remove insoluble particles, divided into small aliquots, frozen and stored at or below - 20C. Conjugate TRITC Purity Ion exchange chromatography Buffer Lyophilized rom PBS (pH 7.2) Product Description The lyophilized conjugate is shipped at ambient temperature and may be stored at 4C; prolonged storage at or below - 20C. Prior to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C; not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate. Host Rabbit Species Mouse Reactivity Notes The antiserum does not cross react with any other component of the Mouse immunoglobulin system. Inter-species cross-reactivity is a normal feature of antibodies to immunoglobulins, since Ig of different species frequently share antigenic determinants. Cross-reactivity of the antiserum has not been tested in detail. Specificity/Sensitivity The reactivity of the antiserum, as tested by immunoelectrophoresis and double radial immunodiffusion. Immunogen	Concentration	LYOPH mg/ml
Preservative No Preservative Reconstitution Instructions Reconstitute by by adding 1 ml sterile distilled water, spun down to remove insoluble particles, divided into small aliquots, frozen and stored at or below - 2OC. Conjugate TRITC Purity Ion exchange chromatography Buffer Lyophilized from PBS (pH 7.2) Product Description The lyophilized conjugate is shipped at ambient temperature and may be stored at 4C; prolonged storage at or below -20C. Prior to use, an aliquot is thawed at 4C; prolonged storage at or below -20C. Prior to use, an aliquot is thawed at 4C; nore dispatch of the imperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate. Host Rabbit Species Mouse Reactivity Notes The antiserum does not cross reactivity is a normal feature of antibodies to immunoglobulins, since Ig of different species frequently share antigenic determinants. Cross-reactivity of this antiserum has not been tested in detail. Specificity/Sensitivity The reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. It does not react with any non- ig protein in mouse serum, as tested by immunoelectrophoresis	Storage	Store at 4C in the dark.
Reconstitution Instructions Reconstitute by by adding 1 ml sterile distilled water, spun down to remove insoluble particles, divided into small aliquots, frozen and stored at or below - 20C. Conjugate TRITC Purity Ion exchange chromatography Buffer Lyophilized from PBS (pH 7.2) Product Description The lyophilized conjugate is shipped at ambient temperature and may be stored at 4C; prolonged storage at or below -20C. Priot o use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate. Host Rabbit Species Mouse Reactivity Notes The antiserum does not cross react with any other component of the Mouse immunoglobulins, since Ig of different species frequently share antigenic determinants. Cross-reactivity of this antiserum has not been tested in detail. Specificity/Sensitivity The reactivity of the antiserum as stested by immunoelectrophoresis and double radial immunodiffusion. Immunogen Highly purified homogenous IgM isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure. Product Application Details ELISA, Immunoh	Clonality	Polyclonal
insoluble particles, divided into small aliquots, frozen and stored at or below - 20C.ConjugateTRITCPurityIon exchange chromatographyBufferLyophilized from PBS (pH 7.2)Product DescriptionThe lyophilized conjugate is shipped at ambient temperature and may be stored at 4C, prolonged storage at or below -20C. Prior to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate.HostRabbitSpeciesMouseReactivity NotesThe reactivity of the antiserum does not cross react with any other component of the Mouse immunoglobulin system. Inter-species cross-reactivity is a normal feature of antibodies to immunoglobulins, since lg of different species frequently share antigenic determinants. Cross-reactivity of this antiserum has not been tested in detail.Specificity/SensitivityThe reactivity of the antiserum is directed to the Fc subunit of the IgM molecule radial immunodiffusion.ImmunogenHighly purified homogenous IgM isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure.Product Application DetailsELISA, Immunohistochemistry-Frozen, ImmunocytochemistryRecommended DilutionsELISA, Immunohistochemistry-Frozen, Immunocytochemistry	Preservative	No Preservative
Purity Ion exchange chromatography Buffer Lyophilized from PBS (pH 7.2) Product Description The lyophilized conjugate is shipped at ambient temperature and may be stored at 4C; prolonged storage at or below -20C. Prior to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate. Host Rabbit Species Mouse Reactivity Notes The antiserum does not cross react with any other component of the Mouse immunoglobulins, since Ig of different species frequently share antigenic determinants. Cross-reactivity of this antiserum has not been tested in detail. Specificity/Sensitivity The reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. It does not react with any non-Ig protein in mouse serum, as tested by immunoelectrophoresis and double radial immunodiffusion. Immunogen Highly purified homogenous IgM isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure. Product Application Details ELISA, Immunohistochemistry-Frozen, Immunocytochemistry	Reconstitution Instructions	insoluble particles, divided into small aliquots, frozen and stored at or below -
Buffer Lyophilized from PBS (pH 7.2) Product Description The lyophilized conjugate is shipped at ambient temperature and may be stored at 4C; prolonged storage at or below -20C. Prior to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate. Host Rabbit Species Mouse Reactivity Notes The antiserum does not cross react with any other component of the Mouse immunoglobulin system. Inter-species cross-reactivity is a normal feature of antibodies to immunoglobulins, since Ig of different species frequently share antigenic determinants. Cross-reactivity of this antiserum has not been tested in detail. Specificity/Sensitivity The reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. It does not react with any non-Ig protein in mouse serum, as tested by immunoelectrophoresis and double radial immunodiffusion. Immunogen Highly purified homogenous IgM isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure. Product Application Details ELISA, Immunohistochemistry-Frozen, Immunocytochemistry Recommended Dilutions ELISA, Immunohistochemistry-Froz	Conjugate	TRITC
Product Description The lyophilized conjugate is shipped at ambient temperature and may be stored at 4C; prolonged storage at or below -20C. Prior to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate. Host Rabbit Species Mouse Reactivity Notes The antiserum does not cross react with any other component of the Mouse immunoglobulins system. Inter-species cross-reactivity is a normal feature of antibodies to immunoglobulins, since Ig of different species frequently share antibodies to immunoglobulins, since Ig of different species frequently share antibodies to immunoglobulins, since Ig of different species frequently share antibodies strict isotypic (class) specificity. It does not react with any non-Ig protein in mouse serum, as tested by immunoelectrophoresis and double radial immunodiffusion. Immunogen Highly purified homogenous IgM isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure. Product Application Details ELISA, Immunohistochemistry-Frozen, Immunocytochemistry	Purity	Ion exchange chromatography
DescriptionThe lyophilized conjugate is shipped at ambient temperature and may be stored at 4C; prolonged storage at or below -20C. Prior to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate.HostRabbitSpeciesMouseReactivity NotesThe antiserum does not cross react with any other component of the Mouse immunoglobulins system. Inter-species cross-reactivity is a normal feature of antibodies to immunoglobulins, since Ig of different species frequently share antigenic determinants. Cross-reactivity of the lgM molecule which expresses strict isotypic (class) specificity. It does not react with any non- Ig protein in mouse serum, as tested by immunoelectrophoresis and double radial immunodiffusion.ImmunogenHighly purified homogenous IgM isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunozytochemistryProduct Application DetailsELISA, Immunohistochemistry-Frozen, ImmunocytochemistryRecommended DilutionsELISA, Immunohistochemistry-Frozen, Immunocytochemistry	Buffer	Lyophilized from PBS (pH 7.2)
at 4C; prolonged storage at or below -20C. Prior to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate.HostRabbitSpeciesMouseReactivity NotesThe antiserum does not cross react with any other component of the Mouse antibodies to immunoglobulin system. Inter-species cross-reactivity is a normal feature of antibodies to immunoglobulins, since Ig of different species frequently share antigenic determinants. Cross-reactivity of this antiserum has not been tested in detail.Specificity/SensitivityThe reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. It does not react with any non- Ig protein in mouse serum, as tested by immunoelectrophoresis and double radial immunodiffusion.ImmunogenHighly purified homogenous IgM isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunocytochemistryProduct Application DetailsELISA, Immunohistochemistry-Frozen, ImmunocytochemistryRecommended DilutionsELISA, Immunohistochemistry-Frozen, Immunocytochemistry	Product Description	
SpeciesMouseReactivity NotesThe antiserum does not cross react with any other component of the Mouse immunoglobulin system. Inter-species cross-reactivity is a normal feature of antibodies to immunoglobulins, since Ig of different species frequently share antigenic determinants. Cross-reactivity of this antiserum has not been tested in detail.Specificity/SensitivityThe reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. It does not react with any non- Ig protein in mouse serum, as tested by immunoelectrophoresis and double radial immunodiffusion.ImmunogenHighly purified homogenous IgM isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure.Product Application DetailsELISA, Immunohistochemistry-Frozen, ImmunocytochemistryRecommended DilutionsELISA, Immunohistochemistry-Frozen, Immunocytochemistry	Description	at 4C; prolonged storage at or below -20C. Prior to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at 4C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect
Reactivity NotesThe antiserum does not cross react with any other component of the Mouse immunoglobulin system. Inter-species cross-reactivity is a normal feature of antibodies to immunoglobulins, since Ig of different species frequently share antigenic determinants. Cross-reactivity of this antiserum has not been tested in detail.Specificity/SensitivityThe reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. It does not react with any non- Ig protein in mouse serum, as tested by immunoelectrophoresis and double radial immunodiffusion.ImmunogenHighly purified homogenous IgM isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure.Product Application DetailsELISA, Immunohistochemistry-Frozen, ImmunocytochemistryRecommended DilutionsELISA, Immunohistochemistry-Frozen, Immunocytochemistry	Host	Rabbit
immunoglobulin system. Inter-species cross-reactivity is a normal feature of antibodies to immunoglobulins, since Ig of different species frequently share antigenic determinants. Cross-reactivity of this antiserum has not been tested in detail.Specificity/SensitivityThe reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. It does not react with any non- Ig protein in mouse serum, as tested by immunoelectrophoresis and double radial immunodiffusion.ImmunogenHighly purified homogenous IgM isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure.Product Application DetailsELISA, Immunohistochemistry-Frozen, ImmunocytochemistryRecommended DilutionsELISA, Immunohistochemistry-Frozen, Immunocytochemistry	Species	Mouse
which expresses strict isotypic (class) specificity. It does not react with any non- Ig protein in mouse serum, as tested by immunoelectrophoresis and double radial immunodiffusion.ImmunogenHighly purified homogenous IgM isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure.Product Application DetailsELISA, Immunohistochemistry-Frozen, ImmunocytochemistryRecommended DilutionsELISA, Immunohistochemistry-Frozen, Immunocytochemistry	Reactivity Notes	immunoglobulin system. Inter-species cross-reactivity is a normal feature of antibodies to immunoglobulins, since Ig of different species frequently share antigenic determinants. Cross-reactivity of this antiserum has not been tested in
adjuvant is used in the first step of the immunization procedure.Product Application DetailsApplicationsELISA, Immunohistochemistry-Frozen, ImmunocytochemistryRecommended DilutionsELISA, Immunohistochemistry-Frozen, Immunocytochemistry	Specificity/Sensitivity	which expresses strict isotypic (class) specificity. It does not react with any non- Ig protein in mouse serum, as tested by immunoelectrophoresis and double
ApplicationsELISA, Immunohistochemistry-Frozen, ImmunocytochemistryRecommended DilutionsELISA, Immunohistochemistry-Frozen, Immunocytochemistry	Immunogen	
Recommended Dilutions ELISA, Immunohistochemistry-Frozen, Immunocytochemistry	Product Application Details	
	Applications	ELISA, Immunohistochemistry-Frozen, Immunocytochemistry
Application Notes (In)direct immunofluorescence	Recommended Dilutions	ELISA, Immunohistochemistry-Frozen, Immunocytochemistry
	Application Notes	(In)direct immunofluorescence





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-69730

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

