# **Product Datasheet**

# Coatomer Subunit Delta Antibody (OTI6A6) - Azide and BSA Free NBP2-70203

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-70203

Updated 9/20/2021 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-70203




#### NBP2-70203

Coatomer Subunit Delta Antibody (OTI6A6) - Azide and BSA Free


| Coatomer Subunit Delta Antibody (OTIGAG) - Azide and BSA Free |   |
|---|---|
| Product Information   |   |
| Unit Size   | 100 ug  |
| Concentration   | LYOPH mg/ml   |
| Storage   | Store at -20C. Avoid freeze-thaw cycles.  |
| Clonality   | Monoclonal  |
| Clone   | OTI6A6  |
| Preservative  | No Preservative   |
| Reconstitution Instructions                                   | Reconstitute with PBS (pH 7.3). To use this carrier-free antibody for conjugation experiments, another round of desalting is highly recommended.  |
| Isotype   | IgG1  |
| Purity  | Immunogen affinity purified   |
| Buffer  | Lyophilized from PBS (pH 7.3) with 8% Trehalose   |
| Target Molecular Weight                                       | 57 kDa  |
| Product Description   |   |
| Host  | Mouse   |
| Gene ID   | 372   |
| Gene Symbol   | ARCN1   |
| Species   | Human, Mouse, Rat, Canine, Monkey   |
| Reactivity Notes  | Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. |
| Immunogen   | Full length human recombinangt protein of human ARCN1(NP_001646) produced in HEK293T cell.  |
| Product Application Details                                   |   |
| Applications  | Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, CyTOF-ready  |
| Recommended Dilutions   | Western Blot 1:500-2000, Flow Cytometry 1:100, Immunohistochemistry 1:50, Immunocytochemistry/ Immunofluorescence 1:100, CyTOF-ready  |
|   |   |

# **Images**

Western Blot: Coatomer Subunit Delta Antibody (OTI6A6) - Azide and BSA Free [NBP2-70203] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY Coatomer Subunit Delta (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti




Immunocytochemistry/Immunofluorescence: Coatomer Subunit Delta Antibody (OTI6A6) - Azide and BSA Free [NBP2-70203] - Staining of COS7 cells transiently transfected by pCMV6-ENTRY Coatomer Subunit Delta.




Immunohistochemistry: Coatomer Subunit Delta Antibody (OTI6A6) - Azide and BSA Free [NBP2-70203] - Staining of paraffin-embedded Carcinoma of Human prostate tissue using anti-Coatomer Subunit Delta mouse monoclonal antibody.




Flow Cytometry: Coatomer Subunit Delta Antibody (OTI6A6) - Azide and BSA Free [NBP2-70203] - HEK293T cells transfected with either overexpression plasmid (Red) or empty vector control plasmid (Blue) were immunostaining by anti-Coatomer Subunit Delta antibody, and then analyzed by flow cytometry.




Western Blot: Coatomer Subunit Delta Antibody (OTI6A6) - Azide and BSA Free [NBP2-70203] - Analysis of extracts (35ug) from 9 different cell lines by using anti-Coatomer Subunit Delta monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).




Immunohistochemistry: Coatomer Subunit Delta Antibody (OTI6A6) - Azide and BSA Free [NBP2-70203] - Staining of paraffin-embedded Adenocarcinoma of Human colon tissue using anti-Coatomer Subunit Delta mouse monoclonal antibody.



Immunohistochemistry: Coatomer Subunit Delta Antibody (OTI6A6) - Azide and BSA Free [NBP2-70203] - Staining of paraffin-embedded Adenocarcinoma of Human endometrium tissue using anti-Coatomer Subunit Delta mouse monoclonal antibody.



Immunohistochemistry: Coatomer Subunit Delta Antibody (OTI6A6) - Azide and BSA Free [NBP2-70203] - Staining of paraffin-embedded Human pancreas tissue using anti-Coatomer Subunit Delta mouse monoclonal antibody.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP2-70203**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

H00000372-P01-2ug Recombinant Human Coatomer Subunit Delta GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-70203

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

