

Product Datasheet

CTAG1B Antibody (OTI2B6) - Azide and BSA Free NBP2-70485

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-70485

Updated 10/9/2020 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-70485



NBP2-70485

CTAG1B Antibody (OTI2B6) - Azide and BSA Free


Product Information	
Unit Size	100 ug
Concentration	LYOPH mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI2B6
Preservative	No Preservative
Reconstitution Instructions	Reconstitute with PBS (pH 7.3). To use this carrier-free antibody for conjugation experiments, another round of desalting is highly recommended.
Isotype	IgG1
Purity	Immunogen affinity purified
Buffer	Lyophilized from PBS (pH 7.3) with 8% Trehalose
Target Molecular Weight	18 kDa

Product Description	
Host	Mouse
Gene ID	1485
Gene Symbol	CTAG1B
Species	Human
Immunogen	Full-length protein expressed in 293T cell transfected with human CTAG1B expression vector


Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:5000, Flow Cytometry, Immunohistochemistry 1:50, Immunocytochemistry/ Immunofluorescence 1:100

Images


Western Blot: CTAG1B Antibody (OTI2B6) - Azide and BSA Free [NBP2-70485] - Analysis of extracts (35ug) from 2 cell lines lysates by using anti-CTAG1B monoclonal antibody (1:500).




Immunocytochemistry/Immunofluorescence: CTAG1B Antibody (OTI2B6) - Azide and BSA Free [NBP2-70485] - Staining of 293T cells transfected by pCMV6-ENTRY CTAG1B(RC213318) using anti-CTAG1B antibody (green, upper left; DAPI/blue, lower left; merged, upper right). 293T cells transfected with empty vector served as a negative control (merged, lower right). (1:




Immunohistochemistry: CTAG1B Antibody (OTI2B6) - Azide and BSA Free [NBP2-70485] - Staining of paraffin-embedded Carcinoma of thyroid tissue using anti-CTAG1B mouse monoclonal antibody.



Flow Cytometry: CTAG1B Antibody (OTI2B6) - Azide and BSA Free [NBP2-70485] - Staining of paraffin-embedded Carcinoma of prostate tissue using anti-CTAG1B mouse monoclonal antibody.




Western Blot: CTAG1B Antibody (OTI2B6) - Azide and BSA Free [NBP2-70485] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY CTAG1B (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-CTAG1B.




Immunohistochemistry: CTAG1B Antibody (OT12B6) - Azide and BSA Free [NBP2-70485] - Immunohistochemical staining of paraffin-embedded Carcinoma of bladder tissue using anti-CTAG1B mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100 degrees C for 10min, NBP1-47714, Dilution 1:50)




Immunohistochemistry: CTAG1B Antibody (OT12B6) - Azide and BSA Free [NBP2-70485] - Staining of paraffin-embedded Adenocarcinoma of breast tissue using anti-CTAG1B mouse monoclonal antibody.




Immunohistochemistry: CTAG1B Antibody (OT12B6) - Azide and BSA Free [NBP2-70485] - Staining of paraffin-embedded Adenocarcinoma of colon tissue using anti-CTAG1B mouse monoclonal antibody.




Immunohistochemistry: CTAG1B Antibody (OT12B6) - Azide and BSA Free [NBP2-70485] - Staining of paraffin-embedded Adenocarcinoma of ovary tissue using anti-CTAG1B mouse monoclonal antibody.




Immunohistochemistry: CTAG1B Antibody (OTI2B6) - Azide and BSA Free [NBP2-70485] - Staining of paraffin-embedded Carcinoma of kidney tissue using anti-CTAG1B mouse monoclonal antibody.




Immunohistochemistry: CTAG1B Antibody (OTI2B6) - Azide and BSA Free [NBP2-70485] - Staining of paraffin-embedded Carcinoma of lung tissue using anti-CTAG1B mouse monoclonal antibody.




Immunohistochemistry: CTAG1B Antibody (OTI2B6) - Azide and BSA Free [NBP2-70485] - Staining of paraffin-embedded Carcinoma of pancreas tissue using anti-CTAG1B mouse monoclonal antibody.




Flow Cytometry: CTAG1B Antibody (OTI2B6) - Azide and BSA Free [NBP2-70485] - Analysis of living 293T cells transfected with CTAG1B overexpression plasmid (RC213318), Red)/empty vector (Blue) using anti-CTAG1B antibody. Cells incubated with a non-specific antibody (Green) were used as isotype control. (1:100)



Flow Cytometry: CTAG1B Antibody (OTI2B6) - Azide and BSA Free [NBP2-70485] - Analysis of living NCI-H1299 cells, using anti-CTAG1B antibody(red), compared to an isotype control (green).(1:100)



Flow Cytometry: CTAG1B Antibody (OTI2B6) - Azide and BSA Free [NBP2-70485] - Analysis of living A375 cells, using anti-CTAG1B antibody(red), compared to an isotype control (green).(1:100)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-70485

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
285-IF-100	IFN-gamma [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-70485

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

