Product Datasheet

FGFR2 Antibody (OTI5C5) - Azide and BSA Free NBP2-70731

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-70731

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-70731



NBP2-70731

FGFR2 Antibody (OTI5C5) - Azid	FGFR2 Antibody (OTI5C5) - Azide and BSA Free	
Product Information		
Unit Size	100 ug	
Concentration	LYOPH mg/ml	
Storage	Store at -20C. Avoid freeze-thaw cycles.	
Clonality	Monoclonal	
Clone	OTI5C5	
Preservative	No Preservative	
Reconstitution Instructions	we recommend adding 100uL distilled water to a final antibody concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process.	
Isotype	lgG2b	
Purity	Immunogen affinity purified	
Buffer	Lyophilized from PBS (pH 7.3) with 8% Trehalose	
Product Description		
Description	Novus Biologicals Mouse FGFR2 Antibody (OTI5C5) - Azide and BSA Free (NBP2-00932) is a monoclonal antibody validated for use in IHC, WB, Flow and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Host	Mouse	
Gene ID	2263	
Gene Symbol	FGFR2	
Species	Human, Mouse, Rat	
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.	
Immunogen	Full length human recombinant protein of human FGFR2(NP_000132) produced in HEK293T cell.	
Product Application Details		
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, CyTOF-ready	
Recommended Dilutions	Western Blot 1:200 - 1:1000, Flow Cytometry 1:100, Immunohistochemistry 1:150, Immunocytochemistry/ Immunofluorescence 1:100, Immunohistochemistry-Paraffin 1:150, CyTOF-ready	




Images

Western Blot: FGFR2 Antibody (OTI5C5) - Azide and BSA Free [NBP2-70731] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY FGFR2 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-FGFR2.

170 — 130 — 100 — 70 — 55 — 40 — 35 — 25 —


Immunocytochemistry/Immunofluorescence: FGFR2 Antibody (OTI5C5) - Azide and BSA Free [NBP2-70731] - Staining of COS7 cells transiently transfected by pCMV6-ENTRY FGFR2.




Immunohistochemistry: FGFR2 Antibody (OTI5C5) - Azide and BSA Free [NBP2-70731] - Staining of paraffin-embedded Human breast tissue using anti-FGFR2 mouse monoclonal antibody.




Flow Cytometry: FGFR2 Antibody (OTI5C5) - Azide and BSA Free [NBP2-70731] - HEK293T cells transfected with either overexpression plasmid (Red) or empty vector control plasmid (Blue) were immunostaining by anti-FGFR2 antibody, and then analyzed by flow cytometry.




Western Blot: FGFR2 Antibody (OTI5C5) - Azide and BSA Free [NBP2-70731] - Analysis of FGF R2 in HEK293T cells (left, control) and HEK293T cells overexpressing FGF R2 (right) using anti-FGF R2 antibody. Image from verified customer review.



Immunohistochemistry: FGFR2 Antibody (OTI5C5) - Azide and BSA Free [NBP2-70731] - Staining of paraffin-embedded Adenocarcinoma of Human endometrium tissue using anti-FGFR2 mouse monoclonal antibody.




Immunohistochemistry: FGFR2 Antibody (OTI5C5) - Azide and BSA Free [NBP2-70731] - Staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-FGFR2 mouse monoclonal antibody.




Immunohistochemistry: FGFR2 Antibody (OTI5C5) - Azide and BSA Free [NBP2-70731] - Staining of paraffin-embedded Carcinoma of Human bladder tissue using anti-FGFR2 mouse monoclonal antibody.



Immunohistochemistry: FGFR2 Antibody (OTI5C5) - Azide and BSA Free [NBP2-70731] - Staining of paraffin-embedded Human endometrium tissue using anti-FGFR2 mouse monoclonal antibody.



Flow Cytometry: FGFR2 Antibody (OTI5C5) - Azide and BSA Free [NBP2-70731] - Analysis of Hela cells, using anti-FGFR2 antibody, (Red), compared to a nonspecific negative control antibody (Blue).





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-70731

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP2-27231 Mouse IgG2b Isotype Control (MPC-11)

NBP2-59905-50ug Recombinant Human FGFR2 hlgG-His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-70731

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

