## **Product Datasheet**

### Myeloid leukemia factor 1 Antibody (OTI3A3) [PE/Cy7] NBP2-72846PECY7

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-72846PECY7

Updated 11/9/2023 v.20.1

# Earn rewards for product reviews and publications.





#### NBP2-72846PECY7

Myeloid leukemia factor 1 Antibody (OTI3A3) [PE/Cy7]

| -                           |  |
|-----------------------------|--|
| Product Information         |  |
| Unit Size                   | 0.1 ml   |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                     | Store at 4C in the dark. Do not freeze.  |
| Clonality                   | Monoclonal   |
| Clone                       | OTI3A3   |
| Preservative                | 0.05% Sodium Azide   |
| Isotype                     | IgG1   |
| Conjugate                   | PE/Cy7   |
| Purity                      | Immunogen affinity purified  |
| Buffer                      | PBS  |
| Product Description         |  |
| Host                        | Mouse  |
| Gene ID                     | 4291   |
| Gene Symbol                 | MLF1   |
| Species                     | Human  |
| Immunogen                   | Full length recombinant protein of human Myeloid leukemia factor 1 (NP_071888) produced in E.coli.   |
| Product Application Details |  |
| Applications                | Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin  |
| Recommended Dilutions       | Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin  |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined. For<br>optimal results using our Tandem dyes, please avoid prolonged exposure to light<br>or extreme temperature fluctuations. These can lead to irreversible degradation<br>or decoupling. When staining intracellular targets, specific attention to the fixation<br>and permeabilization steps in your flow protocol may be required. Please contact<br>our technical support team at technical@novusbio.com if you have any<br>questions. |
|                             |  |

www.novusbio.com





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-72846PECY7

| NBP1-97005PECY7  | Mouse IgG1 Isotype Control (MG1) [PE/Cy7]               |
|------------------|---|
| NBP1-50985-0.1mg | Recombinant Human Myeloid leukemia factor 1 His Protein |
| MEP00B           | Erythropoietin/EPO [HRP]                                |
| NBL1-13132       | Myeloid leukemia factor 1 Overexpression Lysate         |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-72846PECY7

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

