# **Product Datasheet**

# NUDT18 Antibody (OTI5D7) - Azide and BSA Free NBP2-73110

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-73110

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-73110




#### NBP2-73110

NUDT18 Antibody (OTI5D7) - Az	tide and BSA Free
Product Information	
Unit Size	100 ug
Concentration	LYOPH mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI5D7
Preservative	No Preservative
Reconstitution Instructions	we recommend adding 100uL distilled water to a final antibody concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process.
Isotype	IgG1
Purity	Immunogen affinity purified
Buffer	Lyophilized from PBS (pH 7.3) with 8% Trehalose
Target Molecular Weight	35.3 kDa
Product Description	
Description	Novus Biologicals Mouse NUDT18 Antibody (OTI5D7) - Azide and BSA Free (NBP2-01432) is a monoclonal antibody validated for use in IHC, WB, Flow and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	79873
Gene Symbol	NUDT18
Species	Human
Immunogen	Full length human recombinant protein of human NUDT18(NP_079091) produced in HEK293T cell.
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, CyTOF-ready
Recommended Dilutions	Western Blot 1:2000, Flow Cytometry 1:100, Immunohistochemistry 1:150,

Product Application Details	
	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, CyTOF-ready
	Western Blot 1:2000, Flow Cytometry 1:100, Immunohistochemistry 1:150, Immunocytochemistry/ Immunofluorescence 1:100, Immunohistochemistry-Paraffin, CyTOF-ready


# **Images**

Western Blot: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY NUDT18 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-NUDT18.







Immunocytochemistry/Immunofluorescence: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of COS7 cells transiently transfected by pCMV6-ENTRY NUDT18.




Immunohistochemistry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of paraffin-embedded Human prostate tissue within the normal limits using anti-NUDT18 mouse monoclonal antibody. Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100C for 10min.




Flow Cytometry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - HEK293T cells transfected with either overexpression plasmid (Red) or empty vector control plasmid (Blue) were immunostaining by anti-NUDT18 antibody, and then analyzed by flow cytometry.




Immunohistochemistry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of paraffin-embedded Adenocarcinoma of Human endometrium tissue using anti-NUDT18 mouse monoclonal antibody.




Immunohistochemistry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of paraffin-embedded Carcinoma of Human bladder tissue using anti-NUDT18 mouse monoclonal antibody.




Immunohistochemistry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of paraffin-embedded Carcinoma of Human kidney tissue using anti-NUDT18 mouse monoclonal antibody.




Immunohistochemistry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of paraffin-embedded Human endometrium tissue using anti-NUDT18 mouse monoclonal antibody.




Immunohistochemistry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of paraffin-embedded Human lymphoma tissue using anti-NUDT18 mouse monoclonal antibody.




Immunohistochemistry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of paraffin-embedded Human thyroid tissue using anti-NUDT18 mouse monoclonal antibody.




Immunohistochemistry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-NUDT18 mouse monoclonal antibody. Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100C for 10min.




Immunohistochemistry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of paraffin-embedded Carcinoma of Human thyroid tissue using anti-NUDT18 mouse monoclonal antibody. Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100C for 10min.




Immunohistochemistry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of paraffin-embedded Human Kidney tissue within the normal limits using anti-NUDT18 mouse monoclonal antibody. Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100C for 10min.



Immunohistochemistry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of paraffin-embedded Human pancreas tissue within the normal limits using anti-NUDT18 mouse monoclonal antibody. Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100C for 10min.



Immunohistochemistry: NUDT18 Antibody (OTI5D7) - Azide and BSA Free [NBP2-73110] - Staining of paraffin-embedded Human tonsil within the normal limits using anti-NUDT18 mouse monoclonal antibody. Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100C for 10min.





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-73110**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)
NBP1-83602PEP NUDT18 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-73110

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

