Product Datasheet

POR/Cytochrome P450 Reductase Antibody (JB54-31) NBP2-75626

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-75626

Updated 1/3/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-75626



NBP2-75626


POR/Cytochrome P450 Reductase Antibody (JB54-31)

POR/Cytochrome P450 Redu	clase Antibudy (JD34-31)
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JB54-31
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol
Target Molecular Weight	77 kDa
Product Description	
Host	Rabbit
Gene Symbol	POR
Species	Human, Mouse, Rat
Immunogen	Recombinant protein within Human POR/Cytochrome P450 Reductase aa 80-220 / 677. (SwissProt: P16435 Human; SwissProt: P37040 Mouse; SwissProt: P00388 Rat)
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence,

Product Application Details	
	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
	Western Blot 1:500-1:1000, Flow Cytometry 1:50-1:100, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunohistochemistry-Paraffin 1:50-1:200


Images

Western Blot: POR/Cytochrome P450 Reductase Antibody (JB54-31) [NBP2-75626] - Analysis of Cytochrome P450 Reductase on SK-Br-3 (1) , A549 (2) and mouse lung (3) lysate using anti-Cytochrome P450 Reductase antibody at 1/500 dilution.







Immunocytochemistry/Immunofluorescence: POR/Cytochrome P450 Reductase Antibody (JB54-31) [NBP2-75626] - Staining Cytochrome P450 Reductase in A549 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: POR/Cytochrome P450 Reductase Antibody (JB54-31) [NBP2-75626] - Analysis of paraffin-embedded rat brain tissue using anti-Cytochrome P450 Reductase antibody. Counter stained with hematoxylin.




Flow Cytometry: POR/Cytochrome P450 Reductase Antibody (JB54-31) [NBP2-75626] - Analysis of HepG2 cells with Cytochrome P450 Reductase antibody at 1/100 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black). Alexa Fluor 488-conjugated goat anti-rabbit IgG was used as the secondary antibody.




Immunocytochemistry/Immunofluorescence: POR/Cytochrome P450 Reductase Antibody (JB54-31) [NBP2-75626] - Staining Cytochrome P450 Reductase in HepG2 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunocytochemistry/Immunofluorescence: POR/Cytochrome P450 Reductase Antibody (JB54-31) [NBP2-75626] - Staining Cytochrome P450 Reductase in LOVO cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: POR/Cytochrome P450 Reductase Antibody (JB54-31) [NBP2-75626] - Analysis of paraffin-embedded human liver tissue using anti-Cytochrome P450 Reductase antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: POR/Cytochrome P450 Reductase Antibody (JB54-31) [NBP2-75626] - Analysis of paraffin-embedded human lung cancer tissue using anti-Cytochrome P450 Reductase antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: POR/Cytochrome P450 Reductase Antibody (JB54-31) [NBP2-75626] - Analysis of paraffin-embedded mouse testis tissue using anti-Cytochrome P450 Reductase antibody. Counter stained with hematoxylin.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-75626

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

