Product Datasheet

Recombinant Human NT-3 Protein NBP2-76243-10ug

Unit Size: 10 ug

Store at -20 to -70C as supplied. After reconstitution, store at 2 to 8C for 1 month and at -20 to -70C for long term storage. Avoid repeated freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-76243

Updated 10/3/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-76243



NBP2-76243-10ug

Recombinant Human NT-3 Protein


Unit Size 10 ug Concentration Lyoph Storage Store at -20 to -70C as supplied. After reconstitution, store at 2 to 8C for 1 month and at -20 to -70C for long term storage. Avoid repeated freeze-thaw cycles. No Preservative No Preservative Sterile water at 0.1 mg/mL Purity -95%, by SDS-PAGE Buffer Lyophitized from a sterile (0.2 micron) filtered aqueous solution containing 0.1% Trifluoroacetic Acid (TFA) Target Molecular Weight 27.5 kDa Product Description Barriage An un-tagged bioactive recombinant protein corresponding to Human and Mouse NT-3 Source: E. coli Amino Acid Sequence: MYAEHKSHRG EYSVCDSESL WYTDKSSAID RGHQYTVLG EIKTGNSPVK QYFYETRCKE ARPVKNGCRG IDDKHWNSQC KTSTTYVRAL TSENNKLVGW RWIRIDTSCV CALSRKIGRT Gene ID 4908 Gene Symbol NTF3 Specific Muman Reactivity Notes Human Reactivity Notes Human and mouse NT-3 Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Bioactive protein but no acceptance criteria limits established Lot Specific values, please contact technical support. Detailed Reconstitution: Centrifuge vala before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 2 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4 Carter reconstituting as directed. 3 months when stored at -20C to -80C attermined by Kinetic LAL Method).	Recombinant Human NT-3 Prot	ein
Storage Store at -20 to -70C as supplied. After reconstitution, store at 2 to 8C for 1 month and at -20 to -70C for long term storage. Avoid repeated freeze-thaw cycles.	Product Information	
Storage Store at -20 to -70C as supplied. After reconstitution, store at 2 to 8C for 1 month and at -20 to -70C for long term storage. Avoid repeated freeze-thaw cycles. Preservative Reconstitution Instructions Sterile water at 0.1 mg/mL >95%, by SDS-PAGE Buffer Lyophilized from a sterile (0.2 micron) filtered aqueous solution containing 0.1% Trifluoracetic Acid (TFA) Target Molecular Weight 27.5 kDa Product Description An un-tagged bioactive recombinant protein corresponding to Human and Mouse NT-3 Source: E. coli Amino Acid Sequence: MYAEHKSHRG EYSVCDSESL WVTDKSSAID IRGHOVTVLG EIKTGNSPVK QYFVETRCKE ARPVKNGCRG IDDKHWNSQC KTSQTYVRAL TSENNKLVGW RWIRIDTSCV CALSRKIGRT Gene ID 4908 Gene Symbol NTF3 Species Human Reactivity Notes Human and mouse NT-3 Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Notes Lot Specific Information: Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. Endotoxin Note	Unit Size	10 ug
and at -20 to -70C for long term storage. Avoid repeated freeze-thaw cycles. Preservative No Preservative Sterile water at 0.1 mg/mL Purity >95%, by SDS-PAGE Buffer Lyophilized from a sterile (0.2 micron) filtered aqueous solution containing 0.1% Trifluoreacetic Acid (TFA) Target Molecular Weight Product Description An un-tagged bioactive recombinant protein corresponding to Human and Mouse NT-3 Source: E. coli Amino Acid Sequence: MYAEHKSHRG EYSVCDSESL WVTDKSSAID IRGHOVTVLG EIKTGNSPVK QYFYETRCKE ARPVKNGCRG IDDKHWNSQC KTSQTYVRAL TSENNKLVGW RWIRIDTSCV CALSRKIGRT Gene ID 4908 Gene Symbol NTF3 Species Human Reactivity Notes Human and mouse NT-3 Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Bioactive protein but no acceptance criteria limits established Lot Specific Information: Given endotoxin and EDS0 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: Expiration Date: Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. Endotoxin Note	Concentration	Lyoph
Reconstitution Instructions Sterile water at 0.1 mg/mL 95%, by SDS-PAGE Buffer Lyophilized from a sterile (0.2 micron) filtered aqueous solution containing 0.1% Trifluoroacetic Acid (TFA) Target Molecular Weight 27.5 kDa Product Description An un-tagged bioactive recombinant protein corresponding to Human and Mouse NT-3 Source: E. coli Amino Acid Sequence: MYAEHKSHRG EYSVCDSESL WVTDKSSAID IRGHCVTVLG EIKTGNSPVK GYFYETRCKE ARPVKNGCRG IDDKHWNSQC KTSQTYVRAL TSENNKLVGW RWIRIDTSCV CALSRKIGRT Gene ID 4908 Gene Symbol NTF3 Species Human Reactivity Notes Human and mouse NT-3 Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Notes Lot Specific Information: Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution, For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at-80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C to-80C aftermined by	Storage	
Purity	Preservative	No Preservative
Buffer Lyophilized from a sterile (0.2 micron) filtered aqueous solution containing 0.1% Trifluoroacetic Acid (TFA) 27.5 kDa Product Description An un-tagged bioactive recombinant protein corresponding to Human and Mouse NT-3 Source: E. coli Amino Acid Sequence: MYAEHKSHRG EYSVCDSESL WVTDKSSAID IRGHQVTVLG EIKTGNSPVK QYFYETRCKE ARPVKNGCRG IDDKHWNSQC KTSQTYVRAL TSENNKLVGW RWIRIDTSCV CALSRKIGRT Gene ID 4908 Gene Symbol NTF3 Species Human Reactivity Notes Human and mouse NT-3 Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Bioactive protein but no acceptance criteria limits established Notes Civen endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. Do NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, diluct to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 5 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 5 months when stored at -20C to-80C after reconstituting as directed. 5 months when stored at -20C to-80C after reconstituting as directed. 5 months when stored at -20C to-80C after reconstituting as directed. 5 months when stored at -20C to-80C after after permitt	Reconstitution Instructions	Sterile water at 0.1 mg/mL
Trifluoroacetic Acid (TFA) 27.5 kDa Product Description An un-tagged bioactive recombinant protein corresponding to Human and Mouse NT-3 Source: E. coli Amino Acid Sequence: MYAEHKSHRG EYSVCDSESL WVTDKSSAID IRGHQVTVLG EIKTGNSPVK QYFYETRCKE ARPVKNGCRG IDDKHWNSQC KTSQTYVRAL TSENNKLVGW RWIRIDTSCV CALSRKIGRT Gene ID 4908 Gene Symbol NTF3 Species Human Reactivity Notes Human and mouse NT-3 Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Proparation Method Protein is derived from genetically modified E. coli. Details of Functionality Notes Lot Specific Information: Given endotoxin and EDS0 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. Do NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilue to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. 3 months when stored at -20C to-80C	Purity	>95%, by SDS-PAGE
Product Description An un-tagged bioactive recombinant protein corresponding to Human and Mouse NT-3 Source: E. coli Amino Acid Sequence: MYAEHKSHRG EYSVCDSESL WVTDKSSAID IRGHQVTVLG EIKTGNSPVK QVFYETRCKE ARPVKNGCRG IDDKHWNSQC KTSQTYVRAL TSENNKLVGW RWIRIDTSCV CALSRKIGRT Gene ID 4908 Gene Symbol NTF3 Species Human Reactivity Notes Human and mouse NT-3 Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Bioactive protein but no acceptance criteria limits established Lot Specific Information: Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX, Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C to -80C after reconstituting as directed. 3 months when stored at -20C to -80C after reconstituting as directed. 3	Buffer	
An un-tagged bioactive recombinant protein corresponding to Human and Mouse NT-3 Source: E. coli Amino Acid Sequence: MYAEHKSHRG EYSVCDSESL WVTDKSSAID IRGHQVTVLG EIKTGNSPVK QVFYETRCKE ARPVKNGCRG IDDKHWNSQC KTSQTYVRAL TSENNKLVGW RWIRIDTSCV CALSRKIGRT Gene ID 4908 Gene Symbol NTF3 Species Human Reactivity Notes Human and mouse NT-3 Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Bioactive protein but no acceptance criteria limits established Notes Lot Specific Information: Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C to -80C after reconstituting as directed. 3	Target Molecular Weight	27.5 kDa
Source: E. coli Amino Acid Sequence: MYAEHKSHRG EYSVCDSESL WVTDKSSAID IRGHQVTVLG EIKTGNSPVK QYFYETRCKE ARPVKNGCRG IDDKHWNSQC KTSQTYVRAL TSENNKLVGW RWIRIDTSCV CALSRKIGRT Gene ID 4908 Gene Symbol NTF3 Species Human Reactivity Notes Human and mouse NT-3 Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Bioactive protein but no acceptance criteria limits established Notes Lot Specific Information: Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. Endotoxin Note Acceptance criteria for endotoxin levels are <1 EUS/ug protein (determined by	Product Description	
Gene Symbol Species Human Reactivity Notes Human and mouse NT-3 Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Bioactive protein but no acceptance criteria limits established Notes Lot Specific Information: Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. Endotoxin Note Acceptance criteria for endotoxin levels are <1 EUs/ug protein (determined by	Description	NT-3 Source: E. coli Amino Acid Sequence: MYAEHKSHRG EYSVCDSESL WVTDKSSAID IRGHQVTVLG EIKTGNSPVK QYFYETRCKE ARPVKNGCRG IDDKHWNSQC
Reactivity Notes Human and mouse NT-3 Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Bioactive protein but no acceptance criteria limits established Lot Specific Information: Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed.		
Reactivity Notes Human and mouse NT-3 Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Bioactive protein but no acceptance criteria limits established Lot Specific Information: Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C to -80C after reconstituting as directed. Endotoxin Note Acceptance criteria for endotoxin levels are <1 EUs/ug protein (determined by		
Specificity/Sensitivity NT-3 is a dimer (non-covalently linked), 13.8/27.5 kDa (120/240 aa) Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Bioactive protein but no acceptance criteria limits established Lot Specific Information: Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. Endotoxin Note Acceptance criteria for endotoxin levels are <1 EUs/ug protein (determined by	-	
Preparation Method Protein is derived from genetically modified E. coli. Details of Functionality Bioactive protein but no acceptance criteria limits established Lot Specific Information: Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C to-80C after reconstituting as directed. Endotoxin Note Acceptance criteria for endotoxin levels are <1 EUs/ug protein (determined by	•	
Notes Details of Functionality Bioactive protein but no acceptance criteria limits established		· · · · · · · · · · · · · · · · · · ·
Notes Lot Specific Information: Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C to -80C after reconstituting as directed. Endotoxin Note Acceptance criteria for endotoxin levels are <1 EUs/ug protein (determined by	•	
Endotoxin Note Acceptance criteria for endotoxin levels are <1 EUs/ug protein (determined by		Lot Specific Information: Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support. Detailed Reconstitution: Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80C and avoid repeat freeze thaws. Expiration Date: 12 months from date of receipt when stored at -20C to-80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C
	Endotoxin Note	



Product Application Details	
Applications	SDS-Page, Bioactivity
Recommended Dilutions	SDS-Page, Bioactivity

Images

SDS-Page: Recombinant Human, Mouse NT-3 Protein [NBP2-76243] - Recombinant Human NT-3 Protein [NBP2-76243] - 1 ug in each lane (-) non-reducing conditions and (+) reducing conditions in a 4-20% Tris-Glycine gel.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. This product is guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-76243

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

