

# Product Datasheet

## Recombinant Human PDGF-AB Heterodimer Animal-Free Protein

**NBP2-76292-10ug**

Unit Size: 10 ug

Store at -20 to -70C as supplied. After reconstitution, store at 2 to 8C for 1 month and at -20 to -70C for long term storage. Avoid repeated freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:


[www.novusbio.com/NBP2-76292](http://www.novusbio.com/NBP2-76292)

Updated 10/3/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-76292](http://www.novusbio.com/reviews/destination/NBP2-76292)



**NBP2-76292-10ug****Recombinant Human PDGF-AB Heterodimer Animal-Free Protein**

<b>Product Information</b>	
<b>Unit Size</b>	10 ug
<b>Concentration</b>	Lyoph
<b>Storage</b>	Store at -20 to -70C as supplied. After reconstitution, store at 2 to 8C for 1 month and at -20 to -70C for long term storage. Avoid repeated freeze-thaw cycles.
<b>Preservative</b>	No Preservative
<b>Reconstitution Instructions</b>	Sterile water at 0.1 mg/mL
<b>Purity</b>	>95%, by SDS-PAGE
<b>Buffer</b>	Lyophilized from a sterile (0.2 micron) filtered aqueous solution containing 0.1% Trifluoroacetic Acid (TFA)
<b>Target Molecular Weight</b>	26.8 kDa
<b>Product Description</b>	
<b>Description</b>	<p>An un-tagged bioactive recombinant protein corresponding to Human PDGF-AB Heterodimer</p> <p><b>Source:</b> <i>E. coli</i></p> <p><b>Amino Acid Sequence:</b> Alpha chain: MSIEEAVPAV CKTRTVIYEI PRSQVDPTSA NFLIWPPCVE VKRCTGCCNT SSVKCQPSRV HHRSVKVAKV EYVRKKPKLK EVQVRLEEHL ECACATTS LN PDYREEDTGR PRES GKRRKR KRLKPT Beta chain: MSLGSLTIAE PAMIAECKTR TEVFEISRRL IDRTNANFLV WPPCQVEVQRC SGCCNNRNVQ CRPTQVQLRP VQVRKIEIVR KKPIFKKATV TLEDHLACKC ETVAARPVT</p> <p><b>Produced with no materials of animal or human origin using ANIMAL-FREE purification processes.</b></p> <p>Production and Purification</p> <ul style="list-style-type: none"> <li>• No animal-derived ingredients, No FBS</li> <li>• <i>E. coli</i> based production system</li> <li>• Animal-Free facility, fermentor, columns, filters, labware, lyophilization, and storage</li> </ul> <p>Quality Assurance</p> <ul style="list-style-type: none"> <li>• Endotoxin levels at &lt;1 EUs/ug</li> <li>• Purity levels at 95% or greater</li> </ul>
<b>Gene ID</b>	5154
<b>Gene Symbol</b>	PDGFA
<b>Species</b>	Human
<b>Specificity/Sensitivity</b>	PDGF-AB Heterodimer is a heterodimer, Alpha:14.4, Beta: 12.4/26.8 kDa (Alpha: 126, Beta: 110/236 aa)
<b>Preparation Method</b>	Protein is derived from genetically modified <i>E. coli</i> .
<b>Details of Functionality</b>	NR6R-3T3 Proliferation, >5.0 x 10 <sup>4</sup> units/mg (ED50 acceptance criteria are <20 ng/mL).




<b>Notes</b>	<p><b>Lot Specific Information:</b> Given endotoxin and ED50 values are acceptance criteria standards. For lot specific values, please contact technical support.</p> <p><b>Detailed Reconstitution:</b> Centrifuge vial before opening. Suspend the product by gently pipetting the recommended solution down the sides of the vial. <b>DO NOT VORTEX</b>. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots.</p> <p><b>Expiration Date:</b> 12 months from date of receipt when stored at -20C to -80C as supplied. 1 month when stored at 4C after reconstituting as directed. 3 months when stored at -20C to -80C after reconstituting as directed.</p>
<b>Endotoxin Note</b>	Acceptance criteria for endotoxin levels are <1 EUs/ug protein (determined by Kinetic LAL Method).

## Product Application Details


<b>Applications</b>	SDS-Page, Bioactivity
<b>Recommended Dilutions</b>	SDS-Page, Bioactivity

## Images

**SDS-Page:** Recombinant Human PDGF-AB Heterodimer Animal-Free Protein [NBP2-76292] - 1 ug in each lane (-) non-reducing conditions and (+) reducing conditions in a 4-20% Tris-Glycine gel.



**Bioactivity:** Recombinant Human PDGF-AB Heterodimer Animal-Free Protein [NBP2-76292] - PDGF-AB Heterodimer induced 3T3 cell proliferation.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

[www.novusbio.com](http://www.novusbio.com)  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. This product is guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-76292](http://www.novusbio.com/reviews/submit/NBP2-76292)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

