

Product Datasheet

LAG-3 Antibody (BLR027F)

NBP2-76402

Unit Size: 100 ul

Store at 2 - 8 C / 1 year from date of receipt

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-76402

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-76402




NBP2-76402**LAG-3 Antibody (BLR027F)**

Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 2 - 8 C / 1 year from date of receipt
Clonality	Monoclonal
Clone	BLR027F
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	Borate Buffered Saline (BBS) pH 8.2 with 0.1% BSA
Target Molecular Weight	57.5 kDa
Product Description	
Description	Novus Biologicals Rabbit LAG-3 Antibody (BLR027F) (NBP2-76402) is a recombinant monoclonal antibody validated for use in Multiplex Immunofluorescence, IHC, WB, Flow, ICC/IF and IP. Anti-LAG-3 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	3902
Gene Symbol	LAG3
Species	Human
Immunogen	The immunogen recognized by this recombinant LAG-3 Antibody (BLR027F) maps to a region between amino acids 500 and 525 (C-Term)
Notes	This Product sold under License from Bethyl Laboratories, Inc.
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoprecipitation, Multiplex Immunofluorescence
Recommended Dilutions	Western Blot 1:1000, Flow Cytometry Reported in scientific literature (PMID:35761082)., Immunohistochemistry 1:100 - 1:500, Immunocytochemistry/ Immunofluorescence 1:100 - 1:500, Immunoprecipitation 12 ul/0.5 mg lysate, Immunohistochemistry-Paraffin 1:100 - 1:500, Multiplex Immunofluorescence 1:250
Application Notes	Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue sections.




Images


Western Blot: LAG-3 Antibody (BLR027F) [NBP2-76402] - Detection of human LAG3 by WB of HDLM-2, RPMI-8226, Jurkat, MJ, and HEK2931 lysate (observed molecular weight of ~ 57 KDa). Antibody: Rabbit anti-LAG3 recombinant monoclonal [BLR027F] (NBP2-76402). Secondary: HRP-conjugated goat anti-rabbit IgG (NB7160). Lower Panel: Rabbit anti-GAPDH (NB300-322).




Immunoprecipitation: LAG-3 Antibody (BLR027F) [NBP2-76402] - Detection of human LAG3 by WB of immunoprecipitates from HDLM-2 lysate (observed molecular weight of ~ 57 KDa). Antibodies: Rabbit anti-LAG3 recombinant monoclonal [BLR027F] (NBP2-76402) and another rabbit anti-LAG3 recombinant monoclonal.




Immunocytochemistry/Immunofluorescence: LAG-3 Antibody (BLR027F) [NBP2-76402] - Detection of human LAG3 in FFPE HDLM-2 cells by ICC. Antibody: Rabbit anti-LAG3 recombinant monoclonal [BLR027F] (NBP2-76402). Secondary: HRP-conjugated goat anti-rabbit IgG. Substrate: DAB.



Immunohistochemistry-Paraffin: LAG-3 Antibody (BLR027F) [NBP2-76402] - Section of human tonsil. Antibody: Rabbit anti-LAG3 recombinant monoclonal antibody [BLR027F] used at 1:250. Secondary: HRP-conjugated goat anti-rabbit IgG. Substrate: Opal™. Counterstain: DAPI (blue).



Immunohistochemistry-Paraffin: LAG-3 Antibody (BLR027F) [NBP2-76402] - Detection of human LAG3 in FFPE tonsil by IHC. Antibody: Rabbit anti-LAG3 recombinant monoclonal [BLR027F] (NBP2-76402), Secondary: HRP-conjugated goat anti-rabbit IgG. Substate: DAB.



Publications

Melo Garcia L, Gangadharan A, Banerjee P, Li Y et Al. Overcoming CD226-related immune evasion in acute myeloid leukemia with CD38 CAR-engineered NK cells Cell Rep 2025-01-04 [PMID: 39754720]

Ming Q, Celas DP, Wu C et al. LAG3 ectodomain structure reveals functional interfaces for ligand and antibody recognition Nature immunology 2022-07-01 [PMID: 35761082] (FLOW, ICC/IF, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-76402

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP1-85781PEP	LAG-3 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-76402

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

