Product Datasheet

Sortilin Antibody (CL6526) - BSA Free NBP2-76498

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-76498

Updated 2/27/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-76498



NBP2-76498

Sortilin Antibody (CL6526) - BSA Free


| Softill Affiliaddy (CL032) | o) - Box i iee |
|----------------------------|--|
| Product Information | |
| Unit Size | 100 ul |
| Concentration | Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Monoclonal |
| Clone | CL6526 |
| Preservative | 0.02% Sodium Azide |
| Isotype | lgG2b |
| Purity | Protein A purified |
| Buffer | PBS, pH 7.2, containing 40% glycerol |
| Product Description | |
| Host | Mouse |

| Product Description | | |
|---------------------|---|--|
| Host | Mouse | |
| Gene ID | 6272 | |
| Gene Symbol | SORT1 | |
| Species | Human, Mouse | |
| Reactivity Notes | Immunogen displays the following percentage of sequence identity for non-tested species: Rat (89%) | |
| Immunogen | This antibody was developed using a recombinant protein derived from Q99523, with the exact immunogen sequence remaining proprietary. | |

| Product Application Details | |
|------------------------------------|--|
| Applications | Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Knockdown Validated |
| Recommended Dilutions | Western Blot 1 ug/ml, Immunohistochemistry 1:5000 - 1:10000, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-Paraffin 1:5000 - 1:10000, Knockdown Validated |
| Application Notes | For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF, Fixation Permeabilization: Use PFA/Triton X-100. |


Images

Immunohistochemistry-Paraffin: Sortilin Antibody (CL6526) [NBP2-76498] - Analysis in human cerebral cortex and lymph node tissues. Corresponding SORT1 RNA-seq data are presented for the same tissues.







Western Blot: Sortilin Antibody (CL6526) [NBP2-76498] - Analysis in Rh30 cells transfected with control siRNA, target specific siRNA probe #1 and #2, using Anti-SORT1 antibody. Remaining relative intensity is presented. Loading control: Anti-GAPDH.




Immunocytochemistry/Immunofluorescence: Sortilin Antibody (CL6526) [NBP2-76498] - Staining of RH-30 cells using the Anti-SORT1 monoclonal antibody, showing specific staining of the golgi apparatus in green. Microtubule- and nuclear probes are visualized in red and blue, respectively (where available). Antibody staining is shown in green.




Immunohistochemistry-Paraffin: Sortilin Antibody (CL6526) [NBP2-76498] - Staining of human testis shows strong cytoplasmic positivity in cells in seminiferous ducts.




Western Blot: Sortilin Antibody (CL6526) [NBP2-76498] - Analysis in human cell line SK-MEL-30.




Immunohistochemistry-Paraffin: Sortilin Antibody (CL6526) [NBP2-76498] - Staining of human cerebral cortex shows strong cytoplasmic positivity in neurons.




Immunohistochemistry-Paraffin: Sortilin Antibody (CL6526) [NBP2-76498] - Staining of human fallopian tube shows moderate to strong cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: Sortilin Antibody (CL6526) [NBP2-76498] - Staining of human lymph node shows only weak positivity in a subset of lymphoid cells, as expected.



Immunohistochemistry-Paraffin: Sortilin Antibody (CL6526) [NBP2-76498] - Staining of mouse cerebral cortex shows strong cytoplasmic positivity in neurons.



Immunohistochemistry-Paraffin: Sortilin Antibody (CL6526) [NBP2-76498] - Staining of mouse hippocampus shows strong cytoplasmic positivity in both pyramidal neurons and granular cells.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-76498

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP2-27231 Mouse IgG2b Isotype Control (MPC-11)
NBP1-89745PEP Sortilin Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-76498

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

