Product Datasheet HLA F Antibody (3D11) [DyLight 405] NBP2-76802V

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-76802V

Updated 7/11/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-76802V



NBP2-76802V

HLA F Antibody (3D11) [DyLight 405]

Product Information Jnit Size Concentration	0.1 ml Please see the vial label for concentration. If unlisted please contact technical
Concentration	Please see the vial label for concentration. If unlisted please contact technical
	services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	3D11
Preservative	0.05% Sodium Azide
sotype	lgG1
Conjugate	DyLight 405
Purity	Protein A purified
Buffer	50mM Sodium Borate
Product Description	
lost	Mouse
Gene ID	3134
Gene Symbol	HLA-F
Species	Human
Reactivity Notes	Recognizes HLA-F, a 42 kDa type I transbembrane protein expressed on B cells, NK cells, monocytes, and T cells, but mainly in the endoplasmic reticulum and Golgi apparatus, only a small amount on the cell surface, where, however, it can be expressed after cell activation.
Specificity/Sensitivity	Recognizes HLA-F, a 42 kDa type I transbembrane protein expressed on B cells, NK cells, monocytes, and T cells, but mainly in the endoplasmic reticulum and Golgi apparatus, only a small amount on the cell surface, where, however, it can be expressed after cell activation.
mmunogen	Inclusion body-derived HLA-F heavy chain
Notes	DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Product Application Details	
roduct Application Details	
Applications	Western Blot, Flow Cytometry
	Western Blot, Flow Cytometry Western Blot, Flow Cytometry
mmunogen	 Recognizes HLA-F, a 42 kDa type I transbembrane protein expressed on NK cells, monocytes, and T cells, but mainly in the endoplasmic reticulum Golgi apparatus, only a small amount on the cell surface, where, howeve be expressed after cell activation. Inclusion body-derived HLA-F heavy chain





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-76802V

210-TA-005 285-IF-100	TNF-alpha [Unconjugated] IFN-gamma [Unconjugated]
Ŭ	TNF-alpha [Unconjugated]
NBP2-51744-0.02mg	Recombinant Human HLA F His Protein
NBP1-97005V-0.5ml	Mouse IgG1 Isotype Control (MG1) [DyLight 405]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-76802V

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

