Product Datasheet

ImmPACT (TM) NovaRED (TM) HRP Substrate SK-4805-NB

Unit Size: 120 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/SK-4805-NB

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/SK-4805-NB



SK-4805-NB

ImmPACT (TM) NovaRED (TM) HRP Substrate

, ,	
Product Information	
Unit Size	120 ml
Concentration	Please see the protocols for proper use of this product. If no protocol is available, contact technical services for assistance.
Storage	Store at 4C in the dark.
Product Description	
Description	Features: 2-4 fold greater sensitivity than original substrate kit Optimized for IHC/ICC/ISH and blots Permanent mounting Ideal for single and multiple labeling Working solutions stable for up to 14 days at 4C One year expiry date Supplied as 120 ml of diluent and stock solutions in dropper bottles
Kit Components	ImmPACT™ NovaRED™ Diluent (120 mL), ImmPACT™ NovaRED™ Reagent 1 (3 mL), ImmPACT™ NovaRED™ Reagent 2 (1.75 mL), ImmPACT™ NovaRED™ Reagent 4 (2.5 mL)
Notes	This product is manufactured by Vector Laboratories and distributed by Novus Biologicals.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, In-situ Hybridization, Enzyme-linked Immunosorbent Spot, Immunocytochemistry
Recommended Dilutions	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, In-situ Hybridization, Enzyme-linked Immunosorbent Spot, Immunocytochemistry
Application Notes	Sections stained with either substrate should be dehydrated, cleared, and permanently mounted. Sections stained with either substrate can also be viewed by darkfield microscopy. This product consists of 120 ml of diluent and concentrated stock solutions of ImmPACT(TM) NovaRED(TM) reagents in convenient dropper bottles. This substrate formulation can be used on nylon or PVDF membranes but is not recommended for use on nitrocellulose membranes. Working solutions are stable for up to 14 days at 4C.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

nerservice@bio-i

General Contact Information

canada.inquires@bio-techne.com

www.novusbio.com

Bio-Techne Canada

Toronto, ON M8Z 4E6

Phone: 905.827.6400

Fax: 905.827.6402

Toll Free: 855.668.8722

21 Canmotor Ave

Canada

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Support products are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/SK-4805-NB

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

