

# Product Datasheet

## **CXCL3/GRO gamma/CINC-2/DCIP-1 Antibody [PerCP] AF517C**

Unit Size: 0.1 ml

Store at 4C in the dark.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/AF517C](http://www.novusbio.com/AF517C)

Updated 7/7/2025 v.20.1

**Earn rewards for product reviews and publications.**

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/AF517C](http://www.novusbio.com/reviews/destination/AF517C)



**AF517C**

CXCL3/GRO gamma/CINC-2/DCIP-1 Antibody [PerCP]

**Product Information**

<b>Unit Size</b>	0.1 ml
<b>Concentration</b>	Please see the vial label for concentration. If unlisted please contact technical services.
<b>Storage</b>	Store at 4C in the dark.
<b>Clonality</b>	Polyclonal
<b>Preservative</b>	0.05% Sodium Azide
<b>Isotype</b>	IgG
<b>Conjugate</b>	PerCP
<b>Purity</b>	Antigen Affinity-purified
<b>Buffer</b>	PBS

**Product Description**

<b>Host</b>	Goat
<b>Gene ID</b>	2921
<b>Gene Symbol</b>	Cxcl3
<b>Species</b>	Rat
<b>Specificity/Sensitivity</b>	Detects rat CXCL3/CINC-2 $\alpha$ / $\beta$ in direct ELISAs and Western blots. In direct ELISAs, almost 100% cross-reactivity with recombinant rat (rr) CINC-2 $\alpha$ is observed, approximately 50% cross-reactivity with recombinant mouse (rm) MIP-2 is observed, 35% cross-reactivity with rmKC is observed, 15% cross-reactivity with rrCINC-1 is observed, and 10% cross-reactivity with recombinant human (rh) IL-8, rhGRO $\alpha$ , rhGRO $\beta$ , and rhGRO $\gamma$ is observed.
<b>Immunogen</b>	<i>E. coli</i> -derived recombinant rat CXCL3/CINC-2 $\alpha$ / $\beta$ Arg33-Leu100 Accession # NP_612531

**Product Application Details**

<b>Applications</b>	Western Blot, Neutralization
<b>Recommended Dilutions</b>	Western Blot, Neutralization
<b>Application Notes</b>	Optimal dilution of this antibody should be experimentally determined.



## Novus Biologicals USA

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

## Bio-Techne Canada

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

## Bio-Techne Ltd

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

## General Contact Information

[www.novusbio.com](http://www.novusbio.com)  
Technical Support: [nb-technical@bio-techne.com](mailto:nb-technical@bio-techne.com)  
Orders: [nb-customerservice@bio-techne.com](mailto:nb-customerservice@bio-techne.com)  
General: [novus@novusbio.com](mailto:novus@novusbio.com)

## Products Related to AF517C

AB-108-CC	Goat IgG Isotype Control [PerCP]
NBP2-34914-10ug	Recombinant Human CXCL3/GRO gamma/CINC-2/DCIP-1 Protein
210-TA-005	TNF-alpha [Unconjugated]
8297-GG-025/CF	CXCL3/GRO gamma/CINC-2/DCIP-1 [Unconjugated]

## Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/AF517C](http://www.novusbio.com/reviews/submit/AF517C)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)