Product Datasheet

CX3CL1/Fractalkine Antibody (81506) [FITC] FAB3652F

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB3652F

Updated 8/10/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/FAB3652F



FAB3652F

CX3CL1/Fractalkine Antibody (81506) [FITC]

Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityMonoclonalClone81506Preservative0.05% Sodium AzideIsotypeIgG1ConjugateFITCPurityProtein A or G purified from hybridoma culture supernatantBufferBSProduct Description6376Gene ID6376Gene SymbolCX3CL1Specificity/SensitivityDetects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed.ImmunogenNS0-derived and <i>E. colr</i> -derived Recombinant Human CX3CL1/Fractalkine if accession # P78423Product Application DetailsKlSA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-readyApplication NotesOptimal dilution of this antibody should be experimentally determined.	Product Information	
Services.StorageStore at 4C in the dark.ClonalityMonoclonalClone81506Preservative0.05% Sodium AzideIsotypeIgG1ConjugateFITCPurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseGene ID6376Gene SymbolCX3CL1Specificity/SensitivityDetects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed.ImmunogenNS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine Gln25-Arg339 Accession # P78423Product Application DetailsELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Unit Size	0.1 ml
ClonalityMonoclonalClone81506Preservative0.05% Sodium AzideIsotypeIgG1ConjugateFITCPurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct Description6376HostMouseGene ID6376Gene SymbolCX3CL1Specificity/SensitivityDetects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed.ImmunogenNS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine Gln25-Arg339 Accession # P78423Product Application DetailsELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Concentration	
Clone81506Preservative0.05% Sodium AzideIsotypeIgG1ConjugateFITCPurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseGene ID6376Gene SymbolCX3CL1Specificity/SensitivityDetects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant mouse CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed.ImmunogenNS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine gln25-Arg339 Accession # P78423Product Application DetailsELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Storage	Store at 4C in the dark.
Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate FITC Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Mouse Gene ID 6376 Gene Symbol CX3CL1 Specificity/Sensitivity Detects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed. Immunogen NS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine Gln25-Arg339 Accession # P78423 Product Application Details ELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Clonality	Monoclonal
IsotypeIgG1ConjugateFITCPurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseHostMouseGene ID6376Gene SymbolCX3CL1Specificity/SensitivityDetects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed.ImmunogenNS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine Gin25-Arg339 Accession # P78423Product Application DetailsELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Clone	81506
ConjugateFITCPurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionHostMouseGene ID6376Gene SymbolCX3CL1Specificity/SensitivityDetects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed.ImmunogenNS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine Gln25-Arg339 Accession # P78423Product Application DetailsELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Preservative	0.05% Sodium Azide
PurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseHostMouseGene ID6376Gene SymbolCX3CL1Specificity/SensitivityDetects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed.ImmunogenNS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine Gln25-Arg339 Accession # P78423Product Application DetailsELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Isotype	IgG1
Buffer PBS Product Description Mouse Host Mouse Gene ID 6376 Gene Symbol CX3CL1 Specificity/Sensitivity Detects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed. Immunogen NS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine GIn25-Arg339 Accession # P78423 Product Application Details ELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Conjugate	FITC
Product Description Host Mouse Gene ID 6376 Gene Symbol CX3CL1 Specificity/Sensitivity Detects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed. Immunogen NS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine Gln25-Arg339 Accession # P78423 Product Application Details ELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Purity	Protein A or G purified from hybridoma culture supernatant
HostMouseGene ID6376Gene SymbolCX3CL1Specificity/SensitivityDetects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed.ImmunogenNS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine Gln25-Arg339 Accession # P78423Product Application DetailsELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Buffer	PBS
Gene ID 6376 Gene Symbol CX3CL1 Specificity/Sensitivity Detects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed. Immunogen NS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine Gln25-Arg339 Accession # P78423 Product Application Details ELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Product Description	
Gene Symbol CX3CL1 Specificity/Sensitivity Detects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed. Immunogen NS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine Gln25-Arg339 Accession # P78423 Product Application Details ELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Host	Mouse
Specificity/SensitivityDetects human CX3CL1/Fractalkine in ELISAs. In sandwich immunoassays, less than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed.ImmunogenNS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine Gln25-Arg339 Accession # P78423Product Application DetailsELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Gene ID	6376
than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and recombinant rat CX3CL1 is observed.ImmunogenNS0-derived and <i>E. coli</i> -derived Recombinant Human CX3CL1/Fracktalkine Gln25-Arg339 Accession # P78423Product Application DetailsELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Gene Symbol	CX3CL1
Gln25-Arg339 Accession # P78423 Product Application Details Recommended Dilutions ELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Specificity/Sensitivity	than 10% cross-reactivity with recombinant mouse CXCL6 and less than 0.2% cross-reactivity with recombinant human (rh) CXCL6, rhCXCL9, and
Recommended DilutionsELISA Standard (Matched Pair), Neutralization, ELISA Capture (Matched Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Immunogen	Gln25-Arg339
Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining by Flow Cytometry, CyTOF-ready	Product Application Details	
Application NotesOptimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	Antibody Pair), ELISA Detection (Matched Antibody Pair), Intracellular Staining
	Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB3652F

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

