Product Datasheet

MUC1 Antibody (604804) [PerCP] FAB6298C

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB6298C

Updated 8/2/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/FAB6298C



FAB6298C

MUC1 Antibody (604804) [PerCP]

| Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityMonoclonalClone604804Preservative0.05% Sodium AzideIsotypeIgG2bConjugatePerCPPurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseGene ID4582Gene SymbolMUC1SpeciesHumanSpeciesHumanSpeciesEtc. coli/derived recombinant human (rh) MUC-20S, or rhCA125/MUC-16 was observed.Immunogen <i>E. coli/</i> derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Product Information | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------------|
| services.StorageStore at 4C in the dark.ClonalityMonoclonalClone604804Preservative0.05% Sodium AzideIsotypeIgG2bConjugatePerCPPurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionHostMouseGene ID4582Gene SymbolMUC1SpeciesHumanSpecificity/SensitivityDetects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20S, or rhCA125/MUC-16 was observed.Immunogen <i>E. coli-</i> derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Unit Size | 0.1 ml |
| ClonalityMonoclonalClone604804Preservative0.05% Sodium AzideIsotypeIgG2bConjugatePerCPPurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseHostMouseGene ID4582Gene SymbolMUC1SpeciesHumanSpeciesHumanSpecificity/SensitivityDetects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed.ImmunogenE. coli-derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Concentration | |
| Clone604804Preservative0.05% Sodium AzideIsotypeIgG2bConjugatePerCPPurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseHostMouseGene ID4582Gene SymbolMUC1SpeciesHumanSpeciesHumanSpecificity/SensitivityDetects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed.Immunogen <i>E. coli</i> -derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Storage | Store at 4C in the dark. |
| Preservative0.05% Sodium AzideIsotypeIgG2bConjugatePerCPPurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseGene ID4582Gene SymbolMUC1SpeciesHumanSpecificity/SensitivityDetects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed.Immunogen <i>E. coli-</i> derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Clonality | Monoclonal |
| IsotypeIgG2bIsotypeIgG2bConjugatePerCPPurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseHostMouseGene ID4582Gene SymbolMUC1SpeciesHumanSpecificity/SensitivityDetects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed.Immunogen <i>E. coli</i> -derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Clone | 604804 |
| ConjugatePerCPPurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseHostMouseGene ID4582Gene SymbolMUC1SpeciesHumanSpecificity/SensitivityDetects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed.Immunogen <i>E. coli</i> -derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Preservative | 0.05% Sodium Azide |
| PurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseHostMouseGene ID4582Gene SymbolMUC1SpeciesHumanSpecificity/SensitivityDetects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed.ImmunogenE. coli-derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Isotype | lgG2b |
| Buffer PBS Product Description Mouse Host Mouse Gene ID 4582 Gene Symbol MUC1 Species Human Specificity/Sensitivity Detects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed. Immunogen <i>E. coli</i> -derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Conjugate | PerCP |
| Product Description Host Mouse Gene ID 4582 Gene Symbol MUC1 Species Human Specificity/Sensitivity Detects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed. Immunogen <i>E. coli-</i> derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Purity | Protein A or G purified from hybridoma culture supernatant |
| HostMouseGene ID4582Gene SymbolMUC1SpeciesHumanSpecificity/SensitivityDetects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed.Immunogen <i>E. coli-</i> derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Buffer | PBS |
| Gene ID4582Gene SymbolMUC1SpeciesHumanSpecificity/SensitivityDetects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed.Immunogen <i>E. coli</i> -derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Product Description | |
| Gene SymbolMUC1SpeciesHumanSpecificity/SensitivityDetects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed.ImmunogenE. coli-derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Host | Mouse |
| Species Human Specificity/Sensitivity Detects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed. Immunogen E. coli-derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Gene ID | 4582 |
| Specificity/Sensitivity Detects human MUC-1 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed. Immunogen E. coli-derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Gene Symbol | MUC1 |
| cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or rhCA125/MUC-16 was observed. Immunogen E. coli-derived recombinant human MUC-1 Pro126-Arg145 Accession # P15941 | Species | Human |
| Pro126-Arg145 Accession # P15941 | Specificity/Sensitivity | cross-reactivity with recombinant human (rh) MUC-20, rhMUC-20S, or |
| Product Application Datailo | Immunogen | Pro126-Arg145 |
| Product Application Details | | |
| Applications Western Blot, Simple Western, Flow Cytometry, Immunohistochemistry, CyTOF- ready, Immunocytochemistry | Applications | |
| Recommended Dilutions Western Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunocytochemistry, CyTOF-ready | Recommended Dilutions | |
| Application NotesOptimal dilution of this antibody should be experimentally determined. | Application Notes | Optimal dilution of this antibody should be experimentally determined. |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to FAB6298C

| NBP2-27231PCP | Mouse IgG2b Isotype Control (MPC-11) [PerCP] |
|--------------------|----------------------------------------------|
| H00004582-Q01-10ug | Recombinant Human MUC1 GST (N-Term) Protein |
| 1129-ER-050 | ErbB2/Her2 [Unconjugated] |
| 10332-MU-050 | MUC1 [Unconjugated] |
| | |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB6298C

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

