Product Datasheet

EIF3C Antibody [CoraFluor™ 1] NB100-511CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-511CL1

Updated 8/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-511CL1



NB100-511CL1

Application Notes

entration. If unlisted please contact technical ezee. nance terbium-based TR-FRET (Time-Resolved Transfer) or TRF (Time-Resolved bughput assay development. CoraFluor(TM) 1 of 340 nm, and emits at approximately 490 nm, as compatible with common acceptor dyes that this of CoraFluor(TM) 1. CoraFluor(TM) 1 can obust and scalable TR-FRET binding assays ary complex, protein-protein interaction and
nance terbium-based TR-FRET (Time-Resolved Transfer) or TRF (Time-Resolved Dughput assay development. CoraFluor(TM) 1 (2) 340 nm, and emits at approximately 490 nm, as compatible with common acceptor dyes that this of CoraFluor(TM) 1. CoraFluor(TM) 1 can objust and scalable TR-FRET binding assays
nance terbium-based TR-FRET (Time-Resolved Transfer) or TRF (Time-Resolved Dughput assay development. CoraFluor(TM) 1 (2) 340 nm, and emits at approximately 490 nm, as compatible with common acceptor dyes that this of CoraFluor(TM) 1. CoraFluor(TM) 1 can objust and scalable TR-FRET binding assays
nance terbium-based TR-FRET (Time-Resolved Transfer) or TRF (Time-Resolved Dughput assay development. CoraFluor(TM) 1 (2) 340 nm, and emits at approximately 490 nm, as compatible with common acceptor dyes that this of CoraFluor(TM) 1. CoraFluor(TM) 1 can objust and scalable TR-FRET binding assays
Transfer) or TRF (Time-Resolved bughput assay development. CoraFluor(TM) 1 / 340 nm, and emits at approximately 490 nm, as compatible with common acceptor dyes that this of CoraFluor(TM) 1. CoraFluor(TM) 1 can obust and scalable TR-FRET binding assays
Transfer) or TRF (Time-Resolved bughput assay development. CoraFluor(TM) 1 / 340 nm, and emits at approximately 490 nm, as compatible with common acceptor dyes that this of CoraFluor(TM) 1. CoraFluor(TM) 1 can obust and scalable TR-FRET binding assays
Transfer) or TRF (Time-Resolved bughput assay development. CoraFluor(TM) 1 / 340 nm, and emits at approximately 490 nm, as compatible with common acceptor dyes that this of CoraFluor(TM) 1. CoraFluor(TM) 1 can obust and scalable TR-FRET binding assays
Transfer) or TRF (Time-Resolved bughput assay development. CoraFluor(TM) 1 / 340 nm, and emits at approximately 490 nm, as compatible with common acceptor dyes that this of CoraFluor(TM) 1. CoraFluor(TM) 1 can obust and scalable TR-FRET binding assays
Transfer) or TRF (Time-Resolved bughput assay development. CoraFluor(TM) 1 / 340 nm, and emits at approximately 490 nm, as compatible with common acceptor dyes that this of CoraFluor(TM) 1. CoraFluor(TM) 1 can obust and scalable TR-FRET binding assays
Transfer) or TRF (Time-Resolved bughput assay development. CoraFluor(TM) 1 / 340 nm, and emits at approximately 490 nm, as compatible with common acceptor dyes that this of CoraFluor(TM) 1. CoraFluor(TM) 1 can obust and scalable TR-FRET binding assays
Transfer) or TRF (Time-Resolved bughput assay development. CoraFluor(TM) 1 / 340 nm, and emits at approximately 490 nm, as compatible with common acceptor dyes that this of CoraFluor(TM) 1. CoraFluor(TM) 1 can obust and scalable TR-FRET binding assays
Transfer) or TRF (Time-Resolved bughput assay development. CoraFluor(TM) 1 / 340 nm, and emits at approximately 490 nm, as compatible with common acceptor dyes that this of CoraFluor(TM) 1. CoraFluor(TM) 1 can obust and scalable TR-FRET binding assays
our CoraFluor(TM) TR-FRET technology flyer.
D: 28241004).
a sequence between residues 850 and 918 (the translation initiation factor 3, subunit 8, 110kDa ss-Prot entry Q99613 (GeneID 8663).
Bio-Techne Corp. Sold for research purposes achusetts General Hospital. US patent
n
D: 28241004). a sequence between residues 850 and 918 translation initiation factor 3, subunit 8, 110 ss-Prot entry Q99613 (GeneID 8663). Bio-Techne Corp. Sold for research purpos



Optimal dilution of this antibody should be experimentally determined.



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-511CL1

NBP2-46741PEP EIF3C Recombinant Protein Antigen

464-SH-025 Sonic Hedgehog/Shh [Unconjugated]

NBP2-08557 EIF3C Overexpression Lysate

AF3690 GLI-3 Antibody

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-511CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

