Product Datasheet

Cytochrome c Antibody (7H8.2C12) [Janelia Fluor® 669] NB100-56503JF669

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-56503JF669

Updated 11/11/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-56503JF669



NB100-56503JF669

Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Cytochrome c Antibody (7H8.2C12) [Janelia Fluor® 669]		
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 7H8.2C12 Preservative 0.05% Sodium Azide Isotype IgG2b Kappa Conjugate Janelia Fluor 669 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 54205 Gene Symbol CYCS Species Human, Mouse, Rat, Drosophila, Rabbit Specificity/Sensitivity This antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the mitochondria with heme attached) and holocytochrome (i.e. cytochrome in the mitochondria with heme attached). Immunogen Synthetic peptides corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Lemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunobiotchemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunoblotting, Flow (Cell Surface), Flow (Intracellular), Immunobistochemistry.	Product Information		
Storage Store at 4C in the dark. Clonality Monoclonal Clone 7H8.2C12 Preservative 0.05% Sodium Azide Isotype IgG2b Kappa Conjugate Janelia Fluor 669 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 54205 Gene Symbol CYCS Species Human, Mouse, Rat, Drosophila, Rabbit Specificity/Sensitivity This antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the mitochondria with heme attached) and holocytochrome (i.e. cytochrome in the mitochondria with heme attached). Immunogen Synthetic periodics corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunobistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular), Flow (Intracellular), Immunoblotting, Flow (Cell Surface), Flow (Intracellular), Flow (Intracellular)	Unit Size	0.1 ml	
Clonality Monoclonal Clone 7H8.2C12 Preservative 0.05% Sodium Azide Isotype IgG2b Kappa Conjugate Janelia Fluor 669 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 54205 Gene Symbol CYCS Species Human, Mouse, Rat, Drosophila, Rabbit Specificity/Sensitivity This antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the cytosol without heme attached) and holocytochrome (i.e. cytochrome in the minochondria with heme attached). Immunogen Synthetic peptides corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome conceptitive ELISA results (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome chased on competitive ELISA results (Jemmerson et al. 1991). Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunopotochemistry/ Immunofluorescence, Immunohistochemistry, Immunopotochemistry/ Immunofluorescence, Immunohistochemistry, Immunopotochemistry/ Immunofluorescence, Immunohistochemistry, Immunopotochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Concentration	·	
Clone 7H8.2C12 Preservative 0.05% Sodium Azide Isotype IgG2b Kappa Conjugate Janelia Fluor 669 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 54205 Gene Symbol CYCS Species Human, Mouse, Rat, Drosophila, Rabbit Specificity/Sensitivity This antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the cytosol without heme attached) and holocytochrome (i.e. cytochrome in the cytosol without heme attached). Immunogen Synthetic peptides corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Jammerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Paraffin, Immunopototing, Flow (Cell Surface), Flow (Intracellular)	Storage	Store at 4C in the dark.	
Preservative 0.05% Sodium Azide Isotype IgG2b Kappa Conjugate Janelia Fluor 669 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 54205 Gene Symbol CYCS Species Human, Mouse, Rat, Drosophila, Rabbit Specificity/Sensitivity This antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the mitochondria with heme attached) and holocytochrome (i.e. cytochrome in the mitochondria with heme attached). Immunogen Synthetic peptides corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Clonality	Monoclonal	
IgG2b Kappa IgG2b Kappa Janelia Fluor 669 Purity	Clone	7H8.2C12	
Conjugate Janelia Fluor 669 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 54205 Gene Symbol CYCS Species Human, Mouse, Rat, Drosophila, Rabbit Specificity/Sensitivity This antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the cytosol without heme attached) and holocytochrome (i.e. cytochrome in the mitochondria with heme attached) and holocytochrome (i.e. cytochrome in the mitochondria with heme attached). Immunogen Synthetic peptides corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunobiotochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Recommended Dilutions Western Blot, Flow Cytometry, Immunobiotochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Preservative	0.05% Sodium Azide	
Purity	Isotype	IgG2b Kappa	
Buffer 50mM Sodium Borate	Conjugate	Janelia Fluor 669	
Host Mouse Gene ID 54205 Gene Symbol CYCS Species Human, Mouse, Rat, Drosophila, Rabbit Specificity/Sensitivity This antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the cytosol without heme attached) and holocytochrome (i.e. cytochrome in the mitochondria with heme attached). Immunogen Synthetic peptides corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Purity	Protein G purified	
Host Mouse Gene ID 54205 Gene Symbol CYCS Species Human, Mouse, Rat, Drosophila, Rabbit Specificity/Sensitivity This antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the cytosol without heme attached) and holocytochrome (i.e. cytochrome in the mitochondria with heme attached). Immunogen Synthetic peptides corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Buffer	50mM Sodium Borate	
Gene ID Gene Symbol CYCS Species Human, Mouse, Rat, Drosophila, Rabbit This antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the cytosol without heme attached) and holocytochrome (i.e. cytochrome in the mitochondria with heme attached). Immunogen Synthetic peptides corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Product Description		
Gene Symbol Species Human, Mouse, Rat, Drosophila, Rabbit Specificity/Sensitivity This antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the cytosol without heme attached) and holocytochrome (i.e. cytochrome in the mitochondria with heme attached). Immunogen Synthetic peptides corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Host	Mouse	
Species Human, Mouse, Rat, Drosophila, Rabbit Specificity/Sensitivity This antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the cytosol without heme attached) and holocytochrome (i.e. cytochrome in the mitochondria with heme attached). Immunogen Synthetic peptides corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Gene ID	54205	
Specificity/Sensitivity This antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the cytosol without heme attached) and holocytochrome (i.e. cytochrome in the mitochondria with heme attached). Immunogen Synthetic peptides corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Gene Symbol	CYCS	
(i.e. cytochrome in the cytosol without heme attached) and holocytochrome (i.e cytochrome in the mitochondria with heme attached). Immunogen Synthetic peptides corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Species	Human, Mouse, Rat, Drosophila, Rabbit	
pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome C based on competitive ELISA results (Jemmerson et al. 1991). Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Specificity/Sensitivity	(i.e. cytochrome in the cytosol without heme attached) and holocytochrome (i.e	
Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Immunogen	pigeon CYT were used as the immunogen (Jemmerson et al. 1991). The antibody recognizes an epitope within amino acids 93-104 of pigeon cytochrome	
Applications Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Notes		
Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Product Application Details		
Immunofluorescence, Immunohistochemistry-Paraffin, Immunoblotting, Flow (Cell Surface), Flow (Intracellular)	Applications	Surface), Flow (Intracellular), Immunoblotting, Immunocytochemistry/	
Application Notes Optimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	Immunofluorescence, Immunohistochemistry-Paraffin, Immunoblotting, Flow	
	Application Notes	Optimal dilution of this antibody should be experimentally determined.	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-56503JF669

NBP1-43317JF669 Mouse IgG2b Kappa Light Chain Isotype Control (MG2b) [Janelia Fluor

669]

210-TA-005 TNF-alpha [Unconjugated]

MCTC0 Cytochrome c [HRP]

AF835 Caspase-3 Antibody [Unconjugated] - Active

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56503JF669

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

