Product Datasheet

CD45RC Antibody (OX-22) - BSA Free NB120-6406-0.025mg

Unit Size: 0.025 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB120-6406

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB120-6406



NB120-6406-0.025mg


CD45RC Antibody (OX-22) - BSA Free

CD45RC Antibody (OX-22) - BSA Free	
0.025 mg	
1.0 mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
OX-22	
0.09% Sodium Azide	
IgG1	
Protein G purified	
PBS	
Novus Biologicals Mouse CD45RC Antibody (OX-22) - BSA Free (NB120-6406) is a monoclonal antibody validated for use in IHC and Flow. Anti-CD45RC Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Mouse	
5788	
PTPRC	
Rat	
NB120-6406 recognizes rat CD45RC, the high molecular weight form of the leucocyte common antigen. This antigen is found on B cells, approximately 50% of bone marrow cells, all CD8+ve T cells, but splits CD4+ve T cells into two populations, CD4+ CD45RC (Th 1-like) and CD4+ CD45RC low (Th-2 like). This product is routinely tested in flow cytometry on rat splenocytes.	
Phytohaemagglutinin (PHA) -activated rat lymphocytes	
Immunohistochemistry-Paraffin, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen	
Flow Cytometry 1:100, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:100-1:1000, Immunohistochemistry-Frozen 1:100-1:1000	




Images

Flow Cytometry: CD45RC Antibody (OX22) [NB120-6406] - Analysis using the FITC conjugate of NB120-6406. Staining of rat spleen cells.



Flow Cytometry: CD45RC Antibody (OX22) [NB120-6406] - Analysis using the Biotin conjugate of NB120-6406. Staining of rat splenocytes.



Publications

Kampinga J, Schuurman HJ, Pol GH et al. Vascular thymus transplantation in rats. Technique, morphology, and function. Transplantation. 1990-10-01 [PMID: 2219290]

Hancock WW, Khoury SJ, Carpenter CB, Sayegh MH. Differential effects of oral versus intrathymic administration of polymorphic major histocompatibility complex class II peptides on mononuclear and endothelial cell activation and cytokine expression during a delayed-type hypersensitivity response. Am J Pathol. [PMID: 8203456] (IHC-Fr, Rat)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB120-6406

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

