## **Product Datasheet**

### HLA Class I Antibody (MEM-147) [Biotin] NB500-411B

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB500-411B

Updated 10/23/2023 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB500-411B



#### NB500-411B

HLA Class I Antibody (MEM-147) [Biotin]

| Product Information          |  |  |
|------------------------------|--|--|
| Unit Size                    | 0.1 ml   |  |
| Concentration                | Please see the vial label for concentration. If unlisted please contact technical services.  |  |
| Storage                      | Store at 4C in the dark.   |  |
| Clonality                    | Monoclonal   |  |
| Clone                        | MEM-147  |  |
| Preservative                 | 0.05% Sodium Azide   |  |
| Isotype                      | IgG1   |  |
| Conjugate                    | Biotin   |  |
| Purity                       | Protein A purified   |  |
| Buffer                       | PBS  |  |
| Product Description          |  |  |
| Host                         | Mouse  |  |
| Gene ID                      | 3105   |  |
| Gene Symbol                  | HLA-A  |  |
| Species                      | Human  |  |
| Specificity/Sensitivity      | This antibody (clone MEM-147) reacts with all human classical MHC Class I molecules in native cell-surface forms (e.g. it recognizes native HLA-A2 in cytofluorometry and immunoprecipitation but not in Western blotting). MHC Class I molecules (MHC Class Ia) are expressed on the surface of all human nucleated cell types. The antibody MEM-147 is positive in Western blotting (non-reducing conditions) only with most HLA-B and HLA-C molecules, but not HLA-A. Reactivity is very similar to the classical antibody W6/32. |  |
| Immunogen                    | PHA-activated peripheral blood lymphocytes   |  |
| Product Application Details  |  |  |
| Applications                 | Western Blot, Flow Cytometry, Immunoprecipitation, CyTOF-ready   |  |
| <b>Recommended Dilutions</b> | Western Blot, Flow Cytometry, Immunoprecipitation, CyTOF-ready   |  |
| Application Notes            | Optimal dilution of this antibody should be experimentally determined.   |  |
|                              |  |  |





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NB500-411B

| NBP1-96888 | Mouse IgG1 Isotype Control (MG1) [Biotin] |  |
|------------|---|--|
| 210-TA-005 | TNF-alpha [Unconjugated]                  |  |
| 285-IF-100 | IFN-gamma [Unconjugated]                  |  |
| 202-IL-010 | IL-2 [Unconjugated]                       |  |
|            |   |  |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB500-411B

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

