Product Datasheet

Neurogranin Antibody - BSA Free NBP1-45219-100ug

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-45219

Updated 9/21/2021 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-45219



NBP1-45219-100ug

Neurogranin Antibody - BSA Free

Neurografiin Antibody - BoA i ree	
Product Information	
Unit Size	100 ug
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl)
Product Description	
Host	Goat
Gene ID	4900
Gene Symbol	NRGN
Species	Human
Specificity/Sensitivity	Reported variants represent identical protein: NP_006167.1, NP_001119653.1
Immunogen	Peptide with sequence C-KIKSGERGRKG corresponding to internal region according to NP_006167.1.
Notes	Reported variants represent identical protein: NP_006167.1, NP_001119653.1
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Recommended Dilutions	Western Blot 0.1 - 0.3 ug/mL, Immunohistochemistry 5 ug/mL, Immunohistochemistry-Paraffin 5 ug/mL, Peptide ELISA Detection limit 1:8000
Application Notes	WB: Approx. 15 kDa band observed in human brain is reported in scientific literature (PMID: 9880498).




Images

Western Blot: Neurogranin Antibody - BSA Free [NBP1-45219] - Staining of Human Brain (Frontal Cortex) lysate (35 ug protein in RIPA buffer). Antibody at 0.1 ug/mL. Primary incubation was 1 hour. Detected by chemiluminescence.

250kDa 150kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

15kDa

Immunohistochemistry-Paraffin: Neurogranin Antibody - BSA Free [NBP1-45219] - Staining of paraffin embedded Human Cortex. Antibody at 5 ug/mL. Steamed antigen retrieval with citrate buffer pH 6, APstaining.



Publications

Ruano D, Aulchenko YS, Macedo A et al. Association of the gene encoding neurogranin with schizophrenia in males. J Psychiatr Res 2008-01-01 [PMID: 17140601]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-45219

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

