

Product Datasheet

BAFF/BLyS/TNFSF13B Antibody - BSA Free **NBP1-76843-0.025 mg**

Unit Size: 0.025 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-76843

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-76843



NBP1-76843-0.025 mg


BAFF/BLyS/TNFSF13B Antibody - BSA Free

Product Information	
Unit Size	0.025 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Ion exchange chromatography
Buffer	PBS
Target Molecular Weight	35 kDa
Product Description	
Description	Novus Biologicals Rabbit BAFF/BLyS/TNFSF13B Antibody - BSA Free (NBP1-76843) is a polyclonal antibody validated for use in IHC, WB, ELISA and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	10673
Gene Symbol	TNFSF13B
Species	Human, Mouse, Rat
Specificity/Sensitivity	Human BAFF/BLyS/TNFSF13B has 3 isoforms, including isoform 1 (285aa, 31kD), isoform 2 (266aa, 29kD) and isoform 3 (164aa, 17.6kD). Mouse BAFF/BLyS/TNFSF13B has 2 isoforms, including isoform 1 (309aa, 34kD) and isoform 2 (290aa, 32kD). Rat BAFF/BLyS/TNFSF13B has only one isoform (274aa, 30kD). NBP1-76843 can detect two longer human isoforms, mouse and rat.
Immunogen	Antibody was raised against a peptide corresponding to 16 amino acids near the carboxy terminus of human BAFF/BLyS/TNFSF13B. The immunogen is located within the last 50 amino acids of BAFF/BLyS/TNFSF13B. Amino Acid Sequence: EEGDELQLAIPRENAQ
Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.25-1 ug/mL, ELISA 1:100-1:2000, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-20 ug/mL




Images


Western Blot: BAFF/BLyS/TNFSF13B Antibody [NBP1-76843] - Western Blot Validation with Recombinant Protein. Loading: 30 ng of human BAFF recombinant protein per lane. Antibodies: BAFF/BLyS/TNFSF13B NBP1-76843 (Lane 1: 0.25 ug/mL; Lane 2: 0.5 ug/mL and Lane 3: 1 ug/mL), 1h incubation at RT in 5% NFDm/TBST. Secondary: Goat anti-rabbit IgG HRP conjugate at 1:10000 dilution. Observed at around 18kDa.




Western Blot: BAFF/BLyS/TNFSF13B Antibody [NBP1-76843] - Western Blot Validation in Human, Mouse and Rat Cell Lines. Loading: 15 ug of lysates per lane. Antibodies: BAFF/BLyS/TNFSF13B NBP1-76843 (1 ug/mL), 1h incubation at RT in 5% NFDm/TBST. Secondary: Goat anti-rabbit IgG HRP conjugate at 1:10000 dilution.




Immunocytochemistry/ Immunofluorescence: BAFF/BLyS/TNFSF13B Antibody - BSA Free [NBP1-76843] - Validation of BAFF/BLyS/TNFSF13B in HL60 Cells. Immunocytochemical analysis of HL60 cells using anti-BAFF/BLyS/TNFSF13B antibody at 1 ug/ml. Cells was fixed with formaldehyde and blocked with 10% serum for 1 h at RT; antigen retrieval was by heat mediation with a citrate buffer (pH6). Samples were incubated with primary antibody overnight at 4C. A goat anti-rabbit IgG H&L (HRP) at 1/250 was used as secondary. Counter stained with Hematoxylin.



Western Blot: BAFF/BLyS/TNFSF13B Antibody - BSA Free [NBP1-76843] - Validation in Human HL60 Cell Lysate (H) and Mouse Spleen Lysate (M). Loading: 15 ug of lysates per lane. Antibodies: BAFF/BLyS/TNFSF13B (1 u/mL), 1h incubation at RT in 5% NFDm/TBST. Secondary: Goat anti-rabbit IgG HRP conjugate at 1:10000 dilution.



Immunocytochemistry/ Immunofluorescence: BAFF/BLyS/TNFSF13B Antibody - BSA Free [NBP1-76843] - Validation of BAFF/BLyS/TNFSF13B in Human Spleen Tissue. Immunofluorescent analysis of 4% paraformaldehyde-fixed human spleen tissue labeling BAFF/BLyS/TNFSF13B with at 20 ug/mL, followed by goat anti-rabbit IgG secondary antibody at 1/500 dilution (green) and DAPI staining (blue).



Publications

Zhang J, Yang C, Liu Z et al. Cpeb1 remodels cell type-specific translational program to promote fear extinction
Science Advances 2025-01-10 [PMID: 39792668]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-
techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76843

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

