Product Datasheet

Integrin alpha 3B Antibody (54B3) [CoraFluor™ 1] NBP1-97732CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-97732CL1

Updated 11/1/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-97732CL1



NBP1-97732CL1

Integrin alpha 3B Antibody (54B3) [CoraFluor™ 1]

Please see the vial label for concentration. If unlisted please contact technical services.	Product Information	
Storage Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 54B3 Preservative No Preservative Isotype IgG1 Conjugate CoraFluor 1 Purity Protein A or G purified Buffer PBS Product Description Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dryes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM)	Unit Size	0.1 ml
Clonality Monoclonal Clone 54B3 Preservative No Preservative Isotype IgG1 Conjugate CoraFluor 1 Purity Protein A or G purified Buffer PBS Product Description Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, s545 nm 585 nm and 620 nm. it is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET ibiding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 3675 Gene Symbol ITGA3 Species Human Reactivity Notes A broad species reactivity is expected because of the conserved nature of the epitope. Specificity/Sensitivity This antibody recognizes specifically the cytoplasmic domain of integrin subunit Integrin alpha 3B which is present in microvascular structures in brain and heart. Immunogen Derived by fusion of SP2/0 Mouse myeloma cells with spleen cells from a BALE/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3Bincluding an appending N-terminal cytesine (CTRYYQIMPKYHAVRIREEERYPPPGSTLPTKK) coupled to keyhole limpet hemocyanin. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunofluorescence, Immunohistoch	Concentration	·
Clone 54B3 Preservative No Preservative Isotype 1gG1 Conjugate CoraFluor 1 Purity Protein A or G purified Buffer PBS Product Description Description CaraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(IM) 1 can be used for the development of robust and scalable TR-FRET inding assays such as target engagement, temary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 3675 Gene Symbol ITGA3 Species Human Reactivity Notes A broad species reactivity is expected because of the conserved nature of the epitope. Specificity/Sensitivity This antibody recognizes specifically the cytoplasmic domain of integrin subunit Integrin alpha 38 which is prefient in microvascular structures in brain and heart. Immunogen Derived by fusion of SP2/0 Mouse myeloma cells with spleen cells from a BALB/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3Bincluding an appending N-terminal cysteine (CTRRYQIMPKYHAVRIREEERYPPPGSTLPTKK) coupled to keyhole limpet hemocyanin. Notes CaraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen	Storage	Store at 4C in the dark. Do not freeze.
Preservative No Preservative Isotype IgG1 Conjugate CoraFluor 1 Purity Protein A or G purified Buffer PBS Product Description Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Mouse Mouse Mouse Mouse Mouse Mouse Meactivity Notes A broad species reactivity is expected because of the conserved nature of the epitope. Specificity/Sensitivity This antibody recognizes specifically the cytoplasmic domain of integrin subunit Integrin alpha 3B which is present in microvascular structures in brain and heart. Immunogen Derived by fusion of SP2/0 Mouse myeloma cells with spleen cells from a BALB/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3B including an appending N-terminal cysteine (CTRYYGIMPKYHAVRIREEERYPPPGSTLPTKK) coupled to keyhole limpet hemocyanin. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunofluorescence, Immunohistochemistry-Frozen	Clonality	Monoclonal
IgG1 Conjugate CoraFluor 1	Clone	54B3
Conjugate Purity Protein A or G purified Buffer PBS Product Description Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Mouse Gene ID 3675 Gene Symbol ITGA3 Species Human Reactivity Notes A broad species reactivity is expected because of the conserved nature of the epitope. Specificity/Sensitivity This antibody recognizes specifically the cytoplasmic domain of integrin subunit Integrin alpha 38 which is present in microvascular structures in brain and heart. Immunogen Derived by fusion of SP2/0 Mouse myeloma cells with spleen cells from a BALB/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3Bincluding an appending N-terminal cysteine (CTRYYQIMPKYHAVRIREEERYPPGSTLPTKK) coupled to keyhole limpet hemocyanin. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Frozen Western Blot, Immunohistochemistry/ Frozen	Preservative	No Preservative
Purity Protein A or G purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 3675 Gene Symbol ITGA3 Species Human Reactivity Notes A broad species reactivity is expected because of the conserved nature of the epitope. Specificity/Sensitivity This antibody recognizes specifically the cytoplasmic domain of integrin subunit Integrin alpha 38 which is present in microvascular structures in brain and heart. Immunogen Derived by fusion of SP2/0 Mouse myeloma cells with spleen cells from a BALB/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3Bincluding an appending N-terminal cysteine (CTRYYQIMPKYHAVRIREEERYPPPGSTLPTKK) coupled to keyhole limpet hemocyanin. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunofluorescence, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry-Frozen	Isotype	IgG1
PBS	Conjugate	CoraFluor 1
Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Mouse Gene ID 3675 Gene Symbol ITGA3 Species Human Reactivity Notes A broad species reactivity is expected because of the conserved nature of the epitope. Specificity/Sensitivity This antibody recognizes specifically the cytoplasmic domain of integrin subunit Integrin alpha 3B which is present in microvascular structures in brain and heart. Immunogen Derived by fusion of SP2/0 Mouse myeloma cells with spleen cells from a BALB/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3Bincluding an appending N-terminal cysteine (CTRYYQIMPKYHAVRIREEERYPPGSTLPTKK) coupled to keyhole limpet hemocyanin. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/	Purity	Protein A or G purified
CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host	Buffer	PBS
Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 3675 Gene Symbol ITGA3 Species Human Reactivity Notes A broad species reactivity is expected because of the conserved nature of the epitope. Specificity/Sensitivity This antibody recognizes specifically the cytoplasmic domain of integrin subunit Integrin alpha 3B which is present in microvascular structures in brain and heart. Immunogen Derived by fusion of SP2/0 Mouse myeloma cells with spleen cells from a BALB/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3Bincluding an appending N-terminal cysteine (CTRYYQIMPKYHAVRIREEERYPPPGSTLPTKK) coupled to keyhole limpet hemocyanin. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen Western Blot, Immunohistochemistry-Frozen	Product Description	
Gene Symbol ITGA3 Species Human Reactivity Notes A broad species reactivity is expected because of the conserved nature of the epitope. Specificity/Sensitivity This antibody recognizes specifically the cytoplasmic domain of integrin subunit Integrin alpha 3B which is present in microvascular structures in brain and heart. Immunogen Derived by fusion of SP2/0 Mouse myeloma cells with spleen cells from a BALB/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3Bincluding an appending N-terminal cysteine (CTRYYQIMPKYHAVRIREEERYPPPGSTLPTKK) coupled to keyhole limpet hemocyanin. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunocytochemistry/ Immunocytochemistry/ Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen	Description	Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and
Species	Host	Mouse
Species	Gene ID	3675
Reactivity Notes A broad species reactivity is expected because of the conserved nature of the epitope. Specificity/Sensitivity This antibody recognizes specifically the cytoplasmic domain of integrin subunit Integrin alpha 3B which is present in microvascular structures in brain and heart. Immunogen Derived by fusion of SP2/0 Mouse myeloma cells with spleen cells from a BALB/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3Bincluding an appending N-terminal cysteine (CTRYYQIMPKYHAVRIREEERYPPPGSTLPTKK) coupled to keyhole limpet hemocyanin. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen	Gene Symbol	ITGA3
epitope. Specificity/Sensitivity This antibody recognizes specifically the cytoplasmic domain of integrin subunit Integrin alpha 3B which is present in microvascular structures in brain and heart. Derived by fusion of SP2/0 Mouse myeloma cells with spleen cells from a BALB/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3Bincluding an appending N-terminal cysteine (CTRYYQIMPKYHAVRIREEERYPPPGSTLPTKK) coupled to keyhole limpet hemocyanin. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry/ Immunocytochemistry/ Immunocytochemistry/ Immunocytochemistry/ Immunocytochemistry/ Immunocytochemistry/ Immunofluorescence, Immunohistochemistry/ Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen	Species	Human
Integrin alpha 3B which is present in microvascular structures in brain and heart. Derived by fusion of SP2/0 Mouse myeloma cells with spleen cells from a BALB/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3Bincluding an appending N-terminal cysteine (CTRYYQIMPKYHAVRIREEERYPPPGSTLPTKK) coupled to keyhole limpet hemocyanin. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen	Reactivity Notes	
BALB/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3Bincluding an appending N-terminal cysteine (CTRYYQIMPKYHAVRIREEERYPPPGSTLPTKK) coupled to keyhole limpet hemocyanin. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunocytochemistry/ Immunofluorescence, Immunofluorescence, Immunohistochemistry-Frozen	Specificity/Sensitivity	
only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen	Immunogen	BALB/c Mouse immunized with a synthetic peptide corresponding to a 32 amino acid stretch in the cytoplasmic domain of Integrin alpha 3Bincluding an appending N-terminal cysteine (CTRYYQIMPKYHAVRIREEERYPPPGSTLPTKK) coupled to keyhole limpet
Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen	Notes	only under agreement from Massachusetts General Hospital. US patent
Recommended Dilutions Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen	Product Application Details	
Immunofluorescence, Immunohistochemistry-Frozen	Applications	Immunohistochemistry, Immunohistochemistry-Frozen
Application Notes Optimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	Immunofluorescence, Immunohistochemistry-Frozen
	Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-97732CL1

210-TA-005 TNF-alpha [Unconjugated]
NB110-89474 CD11b Antibody - BSA Free

AF796 ICAM-1/CD54 Antibody [Unconjugated]

NBP1-91258 Fibronectin Antibody - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-97732CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

