## **Product Datasheet**

### alpha-Fetoprotein/AFP Antibody (C3) - Azide and BSA Free NBP2-34577-0.1mg

Unit Size: 0.1 mg

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34577

Updated 7/16/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-34577



#### NBP2-34577-0.1mg

alpha-Fetoprotein/AFP Antibody (C3) - Azide and BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at -20 to -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	C3
Preservative	No Preservative
Isotype	IgG2a Kappa
Purity	Protein A or G purified
Buffer	10 mM PBS
Target Molecular Weight	70 kDa
Product Description	
Description	<ul> <li>1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G.</li> <li>Prepared in 10mM PBS WITHOUT BSA &amp; azide. Also available at 200 ug/ml WITH BSA &amp; azide (NBP2-32914).</li> <li>Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to</li> </ul>
	-80C.
Host	Mouse
Gene ID	174
Gene Symbol	AFP
Species	Human, Porcine, Canine, Monkey, Bovine (Negative), Mouse (Negative), Rat (Negative)
Reactivity Notes	Does not react with Bovine, Mouse or Rat.
Marker	Hepatocellular/Germ Cell Tumor Marker
Specificity/Sensitivity	It recognizes an oncofetal glycoprotein with a single chain of 70kDa, which is identified as alpha-fetoprotein (AFP) (ISOBM TD-2 workshop). This monoclonal antibody is highly specific to AFP and shows no cross-reaction with other oncofetal antigens or serum albumin. AFP is normally synthesized in the liver, intestinal tract, and yolk sac of the fetus. Antibody to AFP has been shown to be useful in detecting hepatocellular carcinomas (HCC) and germ cell neoplasms, especially yolk sac tumors.
Immunogen	Alpha feto protein (AFP) Purified from serum of a hepatoma patient (Uniprot: P02771)
Product Application Details	
Applications	ELISA, Flow Cytometry, Flow (Intracellular), Immunohistochemistry, Immunohistochemistry-Paraffin, Sandwich ELISA, CyTOF-ready, Knockout Validated
Recommended Dilutions	Flow Cytometry 0.5-1ug/million cells, ELISA 1-5ug/ml for coating, Immunohistochemistry, Immunohistochemistry-Paraffin 0.5-1ug/ml, Sandwich ELISA, Flow (Intracellular), CyTOF-ready, Knockout Validated



#### Application Notes

Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined. Use in Sandwich -ELISA reported in scientific literature (PMID:31921529).

#### Images

Immunohistochemistry-Paraffin: alpha-Fetoprotein/AFP Antibody (C3) -Azide and BSA Free [NBP2-34577] - Formalin-fixed, paraffin-embedded human fetal liver stained with AFP MAb (C3). Knockout Validated: alpha-Fetoprotein/AFP Antibody (C3) - Azide and HepG2 AFP KO BSA Free [NBP2-34577] - Western blot shows lysates of HepG2 human kDa liver carcinoma cells parental cell line and AFP knockout (KO) HepG2 250 cell line. PVDF membrane was probed with 1.0 ug/mL of Mouse Anti-150-Human AFP Monoclonal Antibody (Catalog # NBP2-32914) followed by 100 HRP-conjugated Anti-Mouse IgG Secondary Antibody (Catalog 75 -AFF #HAF018). Specific band was detected for AFP at approximately 74 kDa 50 (as indicated) in the parental HepG2 cell line, but is not detectable in the 37 knockout HepG2 cell line. This experiment was conducted under 25 20 reducing conditions. 15 -10 Copyright ©2018 Novus Biologicals GAPDH





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-34577-0.1mg

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96981-0.5mg	Mouse IgG2a Kappa Isotype Control (M2AK)
NBP2-52171-0.05mg	Recombinant Human alpha-Fetoprotein/AFP His Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34577

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

