

# Product Datasheet

## Cytokeratin 8 Antibody (K8.8) [mFluor Violet 450 SE] NBP2-34654MFV450

Unit Size: 0.1 ml

Store at 4C in the dark.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-34654MFV450](http://www.novusbio.com/NBP2-34654MFV450)

Updated 10/26/2023 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-34654MFV450](http://www.novusbio.com/reviews/destination/NBP2-34654MFV450)



**NBP2-34654MFV450**

Cytokeratin 8 Antibody (K8.8) [mFluor Violet 450 SE]

| Product Information |   |
|---------------------|---|
| Unit Size           | 0.1 ml  |
| Concentration       | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage             | Store at 4C in the dark.  |
| Clonality           | Monoclonal  |
| Clone               | K8.8  |
| Preservative        | 0.05% Sodium Azide  |
| Isotype             | IgG1 Kappa  |
| Conjugate           | mFluor Violet 450 SE  |
| Purity              | Protein A or G purified   |
| Buffer              | 50mM Sodium Borate  |

| Product Description     |   |
|-------------------------|---|
| Host                    | Mouse   |
| Gene ID                 | 3856  |
| Gene Symbol             | KRT8  |
| Species                 | Human, Rat (Negative)   |
| Reactivity Notes        | Does not react with Rat.  |
| Specificity/Sensitivity | Epitope of this monoclonal antibody is located between aa343-357. Cytokeratin 8 (CK8) belongs to the type II (or B or basic) subfamily of high molecular weight cytokeratins and exists in combination with cytokeratin 18 (CK18). CK8 is primarily found in the non-squamous epithelia and is present in majority of adenocarcinomas and ductal carcinomas. It is absent in squamous cell carcinomas. Hepatocellular carcinomas are defined by the use of antibodies that recognize only cytokeratin 8 and 18. CK8 exists on several types of normal and neoplastic epithelia, including many ductal and glandular epithelia such as colon, stomach, small intestine, trachea, and esophagus as well as in transitional epithelium. Anti-CK8 does not react with skeletal muscle or nerve cells. Epithelioid sarcoma, chordoma, and adamantinoma show strong positivity corresponding to that of simple epithelia (with antibodies against CK8, CK18 and CK19). Reportedly, anti-CK8 is useful for the differentiation of lobular ('ring-like, perinuclear') from ductal ('peripheral-predominant') carcinoma of the breast. |
| Immunogen               | Keratin preparation from a human carcinoma (Uniprot: P05787)  |
| Notes                   | mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.   |

| Product Application Details |  |
|-----------------------------|--|
| Applications                | Western Blot, Simple Western, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready |
| Recommended Dilutions       | Western Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, CyTOF-ready |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.   |



## Images

Cytokeratin 8 Antibody (K8.8) [mFluor Violet 450 SE] [NBP2-34654MFV450] - Vial of mFluor Violet 450 conjugated antibody. mFluor Violet 450 is optimally excited at 406 nm by the Violet laser (405 nm) and has an emission maximum of 445 nm.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
novus@novusbio.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: technical@novusbio.com  
Orders: orders@novusbio.com  
General: novus@novusbio.com

### **Products Related to NBP2-34654MFV450**

---

|             |   |
|-------------|---|
| NBP2-23166  | Recombinant Human Cytokeratin 8 His Protein |
| 8184-CK-050 | Choline Kinase beta [Unconjugated]          |
| NBL1-12397  | Cytokeratin 8 Overexpression Lysate         |
| NB300-223   | Vimentin Antibody                           |

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-34654MFV450](http://www.novusbio.com/reviews/submit/NBP2-34654MFV450)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

