Product Datasheet

CDC2/CDK1 Antibody (POH-1; same as cdc2.1) - Azide and BSA Free NBP2-34711-0.1mg

Unit Size: 0.1 mg

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34711

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-34711

NBP2-34711-0.1mg

CDC2/CDK1 Antibody (POH-1; same as cdc2.1) - Azide and BSA Free

Product Information		
Unit Size	0.1 mg	
Concentration	1.0 mg/ml	
Storage	Store at -20 to -80C. Avoid freeze-thaw cycles.	
Clonality	Monoclonal	
Clone	POH-1; same as cdc2.1	
Preservative	No Preservative	
Isotype	IgG2a Kappa	
Purity	Protein A or G purified	
Buffer	10 mM PBS	
Target Molecular Weight	34 kDa	
Product Description		
Description	 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP2-34331). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. 	
Host	Mouse	
Gene ID	983	
Gene Symbol	CDK1	
Species	Human, Bovine, Mink, Monkey, Drosophila (Negative), Mouse (Negative), Rat (Negative), Xenopus (Negative)	
Reactivity Notes	Does not react with Mouse, Rat, Xenopus, drosophila, S, pombe or S. cerevisiae.	
Specificity/Sensitivity	Recognizes a 34kDa protein, which is identified as cyclin dependent kinase 1 (cdk1) or p34cdc2 protein kinase. cdk1 / p34cdc2 plays a crucial role during cell division and is most active during mitosis. It is predominantly localized in the nucleus. It is a serine/threonine kinase, which is activated by cyclin, presumably by de-phosphorylation of tyrosine residues. Activated cdk1 / p34cdc2 performs specific functions during mitosis, including nuclear envelope breakdown and chromosome condensation.	
Immunogen	Recombinant full-length human p34cdc2 protein (Uniprot: P06493)	
Product Application Details		
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF- ready	
Recommended Dilutions	Western Blot 0.5-1ug/ml, Immunohistochemistry, Immunohistochemistry-Paraffin 1:10-1:500, CyTOF-ready	
Application Notes	Immunohistochemistry (Formalin-fixed): 2-4ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.	



Images	
Western Blot: CDC2/CDK1 Antibody (POH-1; same as cdc2.1) - Azide and BSA Free [NBP2-34711] - Western Blot Analysis of human HeLa cell lysate using CDC2/CDK1 Antibody (POH-1; same as cdc2.1)	×
Immunohistochemistry-Paraffin: CDC2/CDK1 Antibody (POH-1; same as cdc2.1) - Azide and BSA Free [NBP2-34711] - Formalin-paraffin human Tonsil stained with Cdk1 MAb (POH-1).	×





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-34711-0.1mg

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96981-0.5mg	Mouse IgG2a Kappa Isotype Control (M2AK)
NBP2-52017-0.1mg	Recombinant Human CDC2/CDK1 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34711

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

