Product Datasheet

MyoD Antibody (SPM427) [CoraFluor™ 1] NBP2-34772CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34772CL1

Updated 8/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-34772CL1



NBP2-34772CL1

MyoD Antibody (SPM427) [CoraFluor™ 1]

Product Information	Myod Arithody (SPM421) [Coraridor ···· 1]		
Concentration Please see the vial label for concentration. If unlisted please contact services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone SPM427 Preservative No Preservative Isotype IgG1 Kappa Conjugate CoraFluor 1 Purity Protein A or G purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFlabsorbs UV light at approximately 340 nm, and emits at approximate 545 nm, 585 nm and 620 nm. It is compatible with common acceptor absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(Tbe used for the development of robust and scalable TR-FRET binding such as target engagement, ternary complex, protein-protein interact protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET techn Host Mouse Gene ID 4654 Gene Symbol MYOD1 Species Human, Mouse, Rat, Chicken Marker Specificity/Sensitivity Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The e Mouse MyoD1 labels the nuclei of myoblasts in developing musc MyoD1 in the Company	Product Information		
Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone SPM427 Preservative No Preservative Isotype IgG1 Kappa Conjugate CoraFluor 1 Purity Protein A or G purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Tin Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Teluorescence) donor for high throughput assay development. CoraFluors UV light at approximately 340 nm, and emits at approximate 545 nm, 585 nm and 620 nm. It is compatible with common acceptor absorbs UV light at evelopment of robust and scalable TR-FRET binding such as target engagement, ternary complex, protein-protein interact protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET techn Host Mouse Gene ID 4654 Gene Symbol MYOD1 Species Human, Mouse, Rat, Chicken Marker Rhabdomyosarcoma Marker Specificity/Sensitivity Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The e Mouse MyoD1 labels the nuclei of myoblasts in developing musc MyoD1 labels the nuclei of myoblasts in developing musc MyoD1 in hore of the form of the sort of the service with myogenin, Myf5, c Antibody to MyoD1 labels the nuclei of myoblasts in developing musc MyoD1 in hore of the control of the proposal and the tissue, but is highly expressed			
Clone SPM427 Preservative No Preservative Isotype IgG1 Kappa Conjugate CoraFluor 1 Purity Protein A or G purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Tin Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFlabsorbs UV light at approximately 340 nm, and emits at approximately 345 nm, 385 nm and 620 nm. It is compatible with common acceptor absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(Tbe used for the development of robust and scalable TR-FRET binding such as target engagement, ternary complex, protein-protein interact protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET techn Mouse Gene ID 4654 Gene Symbol MYOD1 Species Human, Mouse, Rat, Chicken Marker Rhabdomyosarcoma Marker Specificity/Sensitivity Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The ethics monoclonal antibody maps between amino acid 180-189 in the C Mouse MyoD1 protein. It does not cross react with myogenin, My56, Antibody to MyoD1 labels the nuclei of myoblasts in developing musc. MyoD1 is not detected in normal adult tissue, but is highly expressed	technical		
Clone SPM427 Preservative No Preservative Isotype IgG1 Kappa Conjugate CoraFluor 1 Purity Protein A or G purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Tin Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFlabsorbs UV light at approximately 340 nm, and emits at approximately 345 nm, 385 nm and 620 nm. It is compatible with common acceptor absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(Tbe used for the development of robust and scalable TR-FRET binding such as target engagement, ternary complex, protein-protein interactive at the emission wavelength of the coraFluor(TM) 1. amine reactive CoraFluor(TM) 1. amine reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) TR-FRET techn Mouse Gene ID 4654 Gene Symbol MYOD1 Species Human, Mouse, Rat, Chicken Marker Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The ethis monoclonal antibody maps between amino acid 180-189 in the C Mouse MyoD1 protein. It does not cross react with myogenin, My/56, Antibody to MyoD1 labels the nuclei of myoblasts in developing musc. MyoD1 is not detected in normal adult tissue, but is highly expressed			
Preservative Isotype IgG1 Kappa Conjugate CoraFluor 1 Purity Protein A or G purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Tin Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluorSubsorbs UV light at approximate 545 nm, 585 nm and 620 nm. It is compatible with common acceptor absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(T be used for the development of robust and scalable TR-FRET binding such as target engagement, ternary complex, protein-protein interactive rotein quantification assays. CoraFluor(TM) 1. amine reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) TR-FRET techn Mouse Gene ID 4654 Gene Symbol MYOD1 Species Human, Mouse, Rat, Chicken Marker Rhabdomyosarcoma Marker Specificity/Sensitivity Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The of this monoclonal antibody maps between amino acid 180-189 in the Company of the protein of the company of the protein of the prote			
Isotype			
Conjugate Purity Protein A or G purified Purity Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Tin Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 ight at approximately 340 nm, and emits at approximately 345 nm, and emits at approximately 545 nm, 585 nm and 620 nm. It is compatible with common acceptor absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(T be used for the development of robust and scalable TR-FRET binding such as target engagement, ternary complex, protein-protein interact protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET techn Mouse Gene ID 4654 Gene Symbol MYOD1 Species Human, Mouse, Rat, Chicken Marker Rhabdomyosarcoma Marker Specificity/Sensitivity Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The ethis monoclonal antibody maps between amino acid 180-189 in the O Mouse MyoD1 labels the nuclei of myoblasts in developing musc MyoD1 is not detected in normal adult tissue, but is highly expressed			
Purity Protein A or G purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Tin Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFlu absorbs UV light at approximately 340 nm, and emits at approximately 545 nm, 585 nm and 620 nm. It is compatible with common acceptor absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(Tbe used for the development of robust and scalable TR-FRET binding such as target engagement, ternary complex, protein-protein interaction protein quantification assays. CoraFluor(TM) 1. amine reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) TR-FRET techn Mouse Gene ID 4654 Gene Symbol MYOD1 Species Human, Mouse, Rat, Chicken Marker Rhabdomyosarcoma Marker Specificity/Sensitivity Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The ethis monoclonal antibody maps between amino acid 180-189 in the O Mouse MyoD1 protein. It does not cross react with myogenin, Myf5, Antibody to MyoD1 labels the nuclei of myoblasts in developing musc MyoD1 is not detected in normal adult tissue, but is highly expressed			
Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Tin Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluabsorbs UV light at approximately 340 nm, and emits at approximate 545 nm, 585 nm and 620 nm. It is compatible with common acceptor absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(Tbe used for the development of robust and scalable TR-FRET binding such as target engagement, ternary complex, protein-protein interactive protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET techn Mouse Gene ID 4654 Gene Symbol MYOD1 Species Human, Mouse, Rat, Chicken Marker Rhabdomyosarcoma Marker Specificity/Sensitivity Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The expectation of the companies of the compan			
Product Description Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Tin Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluabsorbs UV light at approximately 340 nm, and emits at approximate 545 nm, 585 nm and 620 nm. It is compatible with common acceptor absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(T) be used for the development of robust and scalable TR-FRET binding such as target engagement, ternary complex, protein-protein interactive protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET techn Mouse Gene ID 4654 Gene Symbol MYOD1 Species Human, Mouse, Rat, Chicken Marker Rhabdomyosarcoma Marker Specificity/Sensitivity Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The ethis monoclonal antibody maps between amino acid 180-189 in the Company of MyoD1 protein. It does not cross react with myogenin, Myf5, can tibody to MyoD1 labels the nuclei of myoblasts in developing musc MyoD1 is not detected in normal adult tissue, but is highly expressed			
CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Tin Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluabsorbs UV light at approximately 340 nm, and emits at approximatel 545 nm, 585 nm and 620 nm. It is compatible with common acceptor absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(Tbe used for the development of robust and scalable TR-FRET binding such as target engagement, ternary complex, protein-protein interactive protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology (TM) and the seed of the se			
CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Tin Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluabsorbs UV light at approximately 340 nm, and emits at approximatel 545 nm, 585 nm and 620 nm. It is compatible with common acceptor absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(Tbe used for the development of robust and scalable TR-FRET binding such as target engagement, ternary complex, protein-protein interactive protein quantification assays. CoraFluor(TM) 1. amine reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology and the seed of	Product Description		
Gene Symbol MYOD1 Species Human, Mouse, Rat, Chicken Marker Rhabdomyosarcoma Marker Specificity/Sensitivity Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The ethis monoclonal antibody maps between amino acid 180-189 in the Company MyoD1 protein. It does not cross react with myogenin, Myf5, company to MyoD1 is not detected in normal adult tissue, but is highly expressed	uor(TM) 1 ely 490 nm, edyes that TM) 1 can g assays ion and		
Gene Symbol Species Human, Mouse, Rat, Chicken Marker Rhabdomyosarcoma Marker Specificity/Sensitivity Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The of this monoclonal antibody maps between amino acid 180-189 in the Company MyoD1 protein. It does not cross react with myogenin, Myf5, of Antibody to MyoD1 labels the nuclei of myoblasts in developing musc MyoD1 is not detected in normal adult tissue, but is highly expressed			
Species Human, Mouse, Rat, Chicken Rhabdomyosarcoma Marker Specificity/Sensitivity Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The end of this monoclonal antibody maps between amino acid 180-189 in the Company MyoD1 protein. It does not cross react with myogenin, Myf5, of Antibody to MyoD1 labels the nuclei of myoblasts in developing musc MyoD1 is not detected in normal adult tissue, but is highly expressed			
Marker Rhabdomyosarcoma Marker Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The ethis monoclonal antibody maps between amino acid 180-189 in the Company MyoD1 protein. It does not cross react with myogenin, Myf5, company to MyoD1 labels the nuclei of myoblasts in developing musc MyoD1 is not detected in normal adult tissue, but is highly expressed			
Specificity/Sensitivity Recognizes a phosphor-protein of 45kDa, identified as MyoD1. The entire this monoclonal antibody maps between amino acid 180-189 in the Common MyoD1 protein. It does not cross react with myogenin, Myf5, common Antibody to MyoD1 labels the nuclei of myoblasts in developing musc MyoD1 is not detected in normal adult tissue, but is highly expressed			
this monoclonal antibody maps between amino acid 180-189 in the C Mouse MyoD1 protein. It does not cross react with myogenin, Myf5, of Antibody to MyoD1 labels the nuclei of myoblasts in developing musc MyoD1 is not detected in normal adult tissue, but is highly expressed			
MyoD1 is seen in ectomesenchymoma and a subset of Wilms sarcon alveolar soft part sarcomas.	C-terminal of or Myf6. cle tissues. I in the ession of		
Immunogen Recombinant MyoD of Mouse origin with an epitope mapping to amin -189. (Uniprot: P15172)	no acids 180		
Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research only under agreement from Massachusetts General Hospital. US pate 2022/0025254			



	·
Product Application Details	
Applications	Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, CyTOF-ready
Recommended Dilutions	Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Flow (Intracellular), CyTOF-ready
Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-34772CL1

H00004654-Q01-10ug Recombinant Human MyoD GST (N-Term) Protein

291-G1-200 IGF-I/IGF-1 [Unconjugated]
NBL1-13443 MyoD Overexpression Lysate

MAB4470 Myosin Heavy Chain Antibody (MF20) [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34772CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

