

# Product Datasheet

## NgR2/NgRH1/RTN4RL2 Antibody [FITC] NBP2-41200F

Unit Size: 0.1 ml

Store at 4C in the dark.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-41200F](http://www.novusbio.com/NBP2-41200F)

Updated 7/11/2023 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-41200F](http://www.novusbio.com/reviews/destination/NBP2-41200F)



**NBP2-41200F**

NgR2/NgRH1/RTN4RL2 Antibody [FITC]

| Product Information         |  |
|-----------------------------|--|
| Unit Size                   | 0.1 ml   |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                     | Store at 4C in the dark.   |
| Clonality                   | Polyclonal   |
| Preservative                | 0.05% Sodium Azide   |
| Isotype                     | IgG  |
| Conjugate                   | FITC   |
| Purity                      | Peptide affinity purified  |
| Buffer                      | PBS  |
| Product Description         |  |
| Host                        | Rabbit   |
| Gene ID                     | 349667   |
| Gene Symbol                 | RTN4RL2  |
| Species                     | Human  |
| Reactivity Notes            | 0  |
| Specificity/Sensitivity     | Three alternatively spliced transcript variants have been observed. RTN4RL2 antibody is predicted to not cross-react with other Nogo receptor-like proteins.   |
| Immunogen                   | Antibody was raised against an 18 amino acid peptide near the carboxy terminus of human RTN4RL2. The immunogen is located within amino acids 330 - 380 of RTN4RL2. Amino Acid Sequence: LYRDLPAEDSRGRQGGDA |
| Product Application Details |  |
| Applications                | Western Blot, ELISA  |
| Recommended Dilutions       | Western Blot, ELISA  |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.   |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
novus@novusbio.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: technical@novusbio.com  
Orders: orders@novusbio.com  
General: novus@novusbio.com

### **Products Related to NBP2-41200F**

---

|             |   |
|-------------|---|
| NBP2-24892  | Rabbit IgG Isotype Control [FITC]         |
| 538-MG-100  | MAG/Siglec-4a                             |
| NBP2-13075  | beta Amyloid Antibody (MOAB-2) - BSA Free |
| NB100-56681 | Nogo Antibody                             |

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-41200F](http://www.novusbio.com/reviews/submit/NBP2-41200F)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

