Product Datasheet

IL-28B/IFN-lambda 3 Antibody [DyLight 755] NBP2-41236IR

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-41236IR

Updated 7/11/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-41236IR



NBP2-41236IR

IL-28B/IFN-lambda 3 Antibody [DyLight 755]

Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugateDyLight 755PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID282617Gene SymbolIFNL3SpeciesHumanReactivity Notes0Specificit/SensitivityL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B . Amino Acid Squence: IQPQPTAGPRTRGRLH	Product Information	
services.StorageStore at 4C in the dark.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugateDyLight 755PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct Description282617HostRabbitGene ID282617Gene SymbolIFNL3SpeciesHumanReactivity Notes0Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A. Amino Acid Squence: IQPQPTAGPRTRGRLH	Unit Size	0.1 ml
ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugateDyLight 755PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct Description282617HostRabbitGene ID282617Gene SymbolIFNL3SpeciesHumanReactivity Notes0Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B. Amino Acid Squence: IQPQPTAGPRTRGRLH	Concentration	
Preservative0.05% Sodium AzideIsotypeIgGConjugateDyLight 755PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct Description282617HostRabbitGene ID282617Gene SymbolIFNL3SpeciesHumanReactivity Notes0Specificit/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B. Amino Acid Squence: IQPQPTAGPRTRGRLH	Storage	Store at 4C in the dark.
IsotypeIgGConjugateDyLight 755PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID282617Gene SymbolIFNL3SpeciesHumanReactivity Notes0Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B . Amino Acid Squence: IQPQPTAGPRTRGRLH	Clonality	Polyclonal
ConjugateDyLight 755PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID282617Gene SymbolIFNL3SpeciesHumanReactivity Notes0Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B . Amino Acid Squence: IQPQPTAGPRTRGRLH	Preservative	0.05% Sodium Azide
PurityPeptide affinity purifiedPurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID282617Gene SymbolIFNL3SpeciesHumanReactivity Notes0Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B . Amino Acid Squence: IQPQPTAGPRTRGRLH	Isotype	IgG
Buffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID282617Gene SymbolIFNL3SpeciesHumanReactivity Notes0Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B. Amino Acid Squence: IQPQPTAGPRTRGRLH	Conjugate	DyLight 755
Product DescriptionHostRabbitGene ID282617Gene SymbolIFNL3SpeciesHumanReactivity Notes0Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B . Amino Acid Squence: IQPQPTAGPRTRGRLH	Purity	Peptide affinity purified
HostRabbitGene ID282617Gene SymbolIFNL3SpeciesHumanReactivity Notes0Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B. Amino Acid Squence: IQPQPTAGPRTRGRLH	Buffer	50mM Sodium Borate
Gene ID282617Gene SymbolIFNL3SpeciesHumanReactivity Notes0Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B. Amino Acid Squence: IQPQPTAGPRTRGRLH	Product Description	
Gene SymbolIFNL3SpeciesHumanReactivity Notes0Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B. Amino Acid Squence: IQPQPTAGPRTRGRLH	Host	Rabbit
SpeciesHumanReactivity Notes0Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B. Amino Acid Squence: IQPQPTAGPRTRGRLH	Gene ID	282617
Reactivity Notes0Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B. Amino Acid Squence: IQPQPTAGPRTRGRLH	Gene Symbol	IFNL3
Specificity/SensitivityIL-28B antibody is human specific. IL-28B antibody may cross-react with IL-28A and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B . Amino Acid Squence: IQPQPTAGPRTRGRLH	Species	Human
and IL-29.ImmunogenAntibody was raised against a 17 amino acid peptide near the center of human IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B . Amino Acid Squence: IQPQPTAGPRTRGRLH	Reactivity Notes	0
IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B . Amino Acid Squence: IQPQPTAGPRTRGRLH	Specificity/Sensitivity	
Notes	Immunogen	IL-28B. The immunogen is located within amino acids 120 - 170 of IL-28B.
DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.	Notes	DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Product Application Details	Product Application Details	
Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence	Applications	Western Blot, ELISA, Immunocytochemistry/Immunofluorescence
Recommended Dilutions Western Blot, ELISA, Immunocytochemistry/Immunofluorescence	Recommended Dilutions	Western Blot, ELISA, Immunocytochemistry/Immunofluorescence
Application NotesOptimal dilution of this antibody should be experimentally determined.	Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: technical@novusbio.com Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP2-41236IR

5259-IL-025	IL-28B/IFN-lambda 3 [Unconjugated]
DY417-05	IL-10 [Biotin]
NBP2-35077-5ug	Recombinant Mouse IL-28B/IFN-lambda 3 Protein
NBP2-24891IR	Rabbit IgG Isotype Control [DyLight 755]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-41236IR

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

