

# Product Datasheet

## APC-PCI Complex Antibody (M36) [mFluor Violet 450 SE] NBP2-41380MFV450

Unit Size: 0.1 ml

Store at 4C in the dark.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-41380MFV450](http://www.novusbio.com/NBP2-41380MFV450)

Updated 10/24/2023 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-41380MFV450](http://www.novusbio.com/reviews/destination/NBP2-41380MFV450)



**NBP2-41380MFV450**

APC-PCI Complex Antibody (M36) [mFluor Violet 450 SE]

| Product Information |                                                                                             |
|---------------------|---------------------------------------------------------------------------------------------|
| Unit Size           | 0.1 ml                                                                                      |
| Concentration       | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage             | Store at 4C in the dark.                                                                    |
| Clonality           | Monoclonal                                                                                  |
| Clone               | M36                                                                                         |
| Preservative        | 0.05% Sodium Azide                                                                          |
| Isotype             | IgG1 Kappa                                                                                  |
| Conjugate           | mFluor Violet 450 SE                                                                        |
| Purity              | Protein A or G purified                                                                     |
| Buffer              | 50mM Sodium Borate                                                                          |

| Product Description     |                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Host                    | Mouse                                                                                                                                                                                                                                                                                                                                                                                  |
| Species                 | Human                                                                                                                                                                                                                                                                                                                                                                                  |
| Specificity/Sensitivity | Antibody is specific for APC:PCI complex and cleaved PCI but has little reactivity towards native PCI. The dissociation constants (as determined by standard surface plasmon resonance technique) are: $K_d = 4 \times 10^{-10}$ M for PCI in complex with APC and $2 \times 10^{-10}$ M for cleaved PCI. The value of $K_d$ for native PCI is too low to measure, i.e. $> 10^{-5}$ M. |
| Immunogen               | Mixture of PCI in complex with PSA (approx. 80%) and PCI cleaved from such a complex (approx. 20%).                                                                                                                                                                                                                                                                                    |
| Notes                   | mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.                                                                                                                                                  |

| Product Application Details |                                                                        |
|-----------------------------|------------------------------------------------------------------------|
| Applications                | ELISA                                                                  |
| Recommended Dilutions       | ELISA                                                                  |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined. |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
[novus@novusbio.com](mailto:novus@novusbio.com)

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
[canada.inquires@bio-techne.com](mailto:canada.inquires@bio-techne.com)

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
[info.EMEA@bio-techne.com](mailto:info.EMEA@bio-techne.com)

### **General Contact Information**

[www.novusbio.com](http://www.novusbio.com)  
Technical Support: [technical@novusbio.com](mailto:technical@novusbio.com)  
Orders: [orders@novusbio.com](mailto:orders@novusbio.com)  
General: [novus@novusbio.com](mailto:novus@novusbio.com)

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-41380MFV450](http://www.novusbio.com/reviews/submit/NBP2-41380MFV450)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

