# **Product Datasheet**

# Lung Matched Tumor and Normal Tissue Lysate NBP2-47090-2Vials

Unit Size: 2 Vials

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47090

Updated 1/2/2022 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47090



### NBP2-47090-2Vials

Lung Matched Tumor and Norma	Lung Matched Tumor and Normal Tissue Lysate	
Product Information		
Unit Size	2 Vials	
Concentration	mg/ml	
Storage	Store at -80C. Avoid freeze-thaw cycles.	
Product Description		
Description	1 x Human lung tumor tissue lysate (1 mg/ml, 100 ug/vial) 1 x Human lung normal tissue lysate (matched) (1 mg/ml, 100 ug/vial)	
	Matched Tumor & Normal Tissue Lysate Set	
	Diagnosis: Papillary Adenocarcinoma	
	Sex: Male	
	Age: 42	
	Grade: 2	
	Stage: IIIA, T3N0M0	
	Tumor Pathology Data	
	Location: Right lung	
	Gross findings: Tumor size 3 x 4 x 4 cm. Cut section hemorrhagic and white/gray. Regional lymph nodes: 2	
	Microscopic Findings	
	Moderately differentiated. Tumor composed of epithelial cells with coarse chromatin, bizarre nuclei, and mitosis. Tumor cells arranged in trabecular patterns. In some areas, the tumor cells had glandular and papillae structure.	
	Tumor necrosis positive. Blood vessel invasion positive. Number of lymph nodes positive: 0	
	Preparation Method	
	Tissue specimens are homogenized in modified RIPA buffer to obtain the soluble proteins, and centrifuged to clarify.  Extraction 1: PBS, pH 7.4; 1 ug/ml Aprotinin; 1 mM NaF  Modified RIPA Buffer: 1 mM EDTA; 1 ug/ml Pepstatin-A; 0.1% SDS; 0.25% Na deoxycholate; 1 ug/ml Leupeptin; 1 mM PMSF; 1 mM Na3VO4	
Species	Human	
Notes	The vial is provided with a 10% overfill. Maximum recovery can be obtained by centrifuging the vial briefly to collect any solution on the cap and tube sides.	
	This material has tested negative for HbsAg, HIV 1/2, and HCV. Use UNIVERSAL PRECAUTIONS when handling. Human tissue derivatives must be treated as a potentially infectious agent and disposed of appropriately	
i		



1 ago 2 5/6 Vizor	
Lysate Type	Matched Tumor and Normal Tissue
Lysate Tissue	Lung
Lysate Life Stage	Adult
Product Application Details	
Application Notes	These lysates have not been subjected to denaturing or reducing conditions. This allows the tissue or cell lysate to be used in a variety of applications; to study protein-protein interaction, ligand binding, ELISA, immunoprecipitation, 1D and 2D gel electrophoresis, and Western blotting for the detection of specific protein targets.  For use in 1D and 2D gel electrophoresis, the addition of a denaturing gel loading buffer with reducing agents may be required.  Buffer requirements for performing protein-protein interaction and ligand binding studies can vary significantly from RIPA buffer and may require modifications. In most cases, tissue lysates in RIPA buffer can be used, directly in standard ELISA and immunoprecipitation assays.  These lysates are proteomic discovery tools. Researchers should validate and

optimize for individual use.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Products Related to NBP2-47090-2Vials

NBP2-30277

Human Lung Tissue MicroArray (Cancer)

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47090

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

