Product Datasheet

Breast Matched Tumor and Normal Tissue Lysate NBP2-47105-2Vial

Unit Size: 2 Vial

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47105

Updated 8/6/2020 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47105



NBP2-47105-2Vial

Breast Matched Tumor and Normal Tissue Lysate

Product Information	
Unit Size	2 Vial
Concentration	mg/ml
Storage	Store at -80C. Avoid freeze-thaw cycles.

Product Description

Description

Human breast tumor tissue lysate (1 mg/ml, 100 ug/vial)

Human breast normal tissue lysate (matched) (1 mg/ml, 100 ug/vial)

Matched Tumor & Normal Tissue Lysate Set

Diagnosis: Invasive Ductal Carcinoma

Sex: Female

Age: 36

Grade: 2

Stage: IIB, T2N1M0

Tumor Pathology Data

Location: Right breast

Gross findings: Tumor size 4 x 4 x 3 cm Cut section hard and white/gray.

Ipsilateral axillary lymph nodes examined: 7

Microscopic findings

Cancer in surgical margin of section: Negative

Multifocal carcinoma: Negative

Pectoral muscular/facia invasion: Negative

Chest wall invasion: Negative

Breast skin dermal invasion only: Negative Skin invasion with ulceration: Negative Dermal lymphatic channel invasion: Negative Lymphatic and/or blood vessel invasion: Negative

Tumor necrosis: Positive Number of nodes positive: 4/7

Tubule formation: 3 Nuclear pleomorphism: 3

Mitotic activity: 1

Lymphocytic response: Positive

Preparation Method

Tissue specimens are homogenized in modified RIPA buffer to obtain the soluble

proteins, and centrifuged to clarify.

Extraction 1: PBS, pH 7.4; 1 ug/ml Aprotinin; 1 mM NaF

Modified RIPA Buffer: 1 mM EDTA; 1 ug/ml Pepstatin-A; 0.1% SDS; 0.25% Na

deoxycholate; 1 ug/ml Leupeptin; 1 mM PMSF; 1 mM Na3VO4



1 ago 2 61 6 112511 opación 6/25252	
Species	Human
Notes	The vial is provided with a 10% overfill. Maximum recovery can be obtained by centrifuging the vial briefly to collect any solution on the cap and tube sides. This material has tested negative for HbsAg, HIV 1/2, and HCV. Use UNIVERSAL PRECAUTIONS when handling. Human tissue derivatives must be treated as a potentially infectious agent and disposed of appropriately
Lysate Type	Matched Tumor and Normal Tissue
Lysate Tissue	Breast
Lysate Life Stage	Adult
Des Last Asselles Com Des	·

Product Application Details

Application Notes

These lysates have not been subjected to denaturing or reducing conditions. This allows the tissue or cell lysate to be used in a variety of applications; to study protein-protein interaction, ligand binding, ELISA, immunoprecipitation, 1D and 2D gel electrophoresis, and Western blotting for the detection of specific protein targets.

For use in 1D and 2D gel electrophoresis, the addition of a denaturing gel loading buffer with reducing agents may be required.

Buffer requirements for performing protein-protein interaction and ligand binding studies can vary significantly from RIPA buffer and may require modifications. In most cases, tissue lysates in RIPA buffer can be used, directly in standard ELISA and immunoprecipitation assays.

These lysates are proteomic discovery tools. Researchers should validate and optimize for individual use.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP2-47105-2Vial

NBP2-30212

Human Breast Tissue MicroArray (Cancer)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47105

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

