Product Datasheet

CEACAM5/CD66e Antibody (C66/1260) [mFluor Violet 500 SE] NBP2-47971MFV500

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47971MFV500

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-47971MFV500



NBP2-47971MFV500

CEACAM5/CD66e Antibody (C66/1260) [mFluor Violet 500 SE]

| Storage Store at 4C in the Clonality Monoclonal Clone C66/1260 | vial label for concentration. If unlisted please contact technical ne dark. |
|--|--|
| ConcentrationPlease see the services.StorageStore at 4C in the ClonalityClonalityMonoclonal C66/1260 | · |
| Storage Store at 4C in the Clonality Monoclonal Clone C66/1260 | · |
| Clonality Monoclonal Clone C66/1260 | ne dark. |
| Clone C66/1260 | |
| | |
| | |
| Preservative 0.05% Sodium / | Azide |
| Isotype IgG2b Kappa | |
| Conjugate mFluor Violet 50 | 00 SE |
| Purity Protein A or G p | purified |
| , | Borate |
| Buffer 50mM Sodium E | |
| , | |
| Buffer 50mM Sodium B | |
| Buffer 50mM Sodium B Product Description | |
| Buffer 50mM Sodium B Product Description Host Mouse | |
| Buffer 50mM Sodium E Product Description Host Mouse Gene ID 1048 | ecognizes proteins of 80-200kDa, identified as different members CEA is synthesized during development in the fetal gut and is re- |
| Buffer 50mM Sodium B Product Description Host Mouse Gene ID 1048 Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody re of CEA family. Of expressed in incomparing tumors. This mode (NCA). It shows staining of forms or malignant prograstric carcinomare CEA+) from positivity is seen | creased amounts in intestinal carcinomas and several other conclonal antibody reacts with nonspecific cross-reacting antigen is no reaction with a variety of normal tissues and is suitable for alin/paraffin tissues. CEA is not found in benign glands, stroma, estatic cells. Antibody to CEA is useful in detecting early foci of an and in distinguishing pulmonary adenocarcinomas (60-70% pleural mesotheliomas (rarely or weakly CEA+). Anti-CEA in in adenocarcinomas from the lung, colon, stomach, esophagus, ladder, urachus, salivary gland, ovary, and endocervix. |
| Buffer 50mM Sodium B Product Description Host Mouse Gene ID 1048 Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody re of CEA family. Of expressed in incomparation or malignant programmer or mali | creased amounts in intestinal carcinomas and several other choclonal antibody reacts with nonspecific cross-reacting antigen is no reaction with a variety of normal tissues and is suitable for alin/paraffin tissues. CEA is not found in benign glands, stroma, ostatic cells. Antibody to CEA is useful in detecting early foci of the and in distinguishing pulmonary adenocarcinomas (60-70% in pleural mesotheliomas (rarely or weakly CEA+). Anti-CEA in in adenocarcinomas from the lung, colon, stomach, esophagus, |
| Buffer 50mM Sodium B Product Description Host Mouse Gene ID 1048 Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody re of CEA family. Of expressed in incompared tumors. This mode (NCA). It shows staining of formation or malignant programmer CEA+) from positivity is seen pancreas, gallbl Immunogen Purified human Notes mFluor(TM) is a demand. Actual | creased amounts in intestinal carcinomas and several other conoclonal antibody reacts with nonspecific cross-reacting antigen is no reaction with a variety of normal tissues and is suitable for alin/paraffin tissues. CEA is not found in benign glands, stroma, estatic cells. Antibody to CEA is useful in detecting early foci of an and in distinguishing pulmonary adenocarcinomas (60-70% pleural mesotheliomas (rarely or weakly CEA+). Anti-CEA in in adenocarcinomas from the lung, colon, stomach, esophagus, ladder, urachus, salivary gland, ovary, and endocervix. |
| Buffer 50mM Sodium B Product Description Host Mouse Gene ID 1048 Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody re of CEA family. Of expressed in incompared tumors. This mode (NCA). It shows staining of formation or malignant programmer CEA+) from positivity is seen pancreas, gallbl Immunogen Purified human Notes mFluor(TM) is a demand. Actual | creased amounts in intestinal carcinomas and several other conclonal antibody reacts with nonspecific cross-reacting antigen is no reaction with a variety of normal tissues and is suitable for alin/paraffin tissues. CEA is not found in benign glands, stroma, estatic cells. Antibody to CEA is useful in detecting early foci of an and in distinguishing pulmonary adenocarcinomas (60-70% a pleural mesotheliomas (rarely or weakly CEA+). Anti-CEA in in adenocarcinomas from the lung, colon, stomach, esophagus, ladder, urachus, salivary gland, ovary, and endocervix. CEACAM5/CD66e protein (Uniprot: P06731) a trademark of AAT Bioquest, Inc. This conjugate is made on recovery may vary from the stated volume of this product. The |
| Buffer 50mM Sodium B Product Description Host Mouse Gene ID 1048 Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody re of CEA family. Of expressed in incompany or malignant prograstric carcinom are CEA+) from positivity is seen pancreas, gallbl Immunogen Purified human Notes MFluor(TM) is a demand. Actual volume will be generally applications Product Application Details Applications | creased amounts in intestinal carcinomas and several other conoclonal antibody reacts with nonspecific cross-reacting antigen in no reaction with a variety of normal tissues and is suitable for alin/paraffin tissues. CEA is not found in benign glands, stroma, ostatic cells. Antibody to CEA is useful in detecting early foci of the and in distinguishing pulmonary adenocarcinomas (60-70% of pleural mesotheliomas (rarely or weakly CEA+). Anti-CEA of in adenocarcinomas from the lung, colon, stomach, esophagus, ladder, urachus, salivary gland, ovary, and endocervix. CEACAM5/CD66e protein (Uniprot: P06731) A trademark of AAT Bioquest, Inc. This conjugate is made on a recovery may vary from the stated volume of this product. The greater than or equal to the unit size stated on the datasheet. |
| Buffer 50mM Sodium E Product Description Host Mouse Gene ID 1048 Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody re of CEA family. Of expressed in incompact tumors. This mode (NCA). It shows staining of forms or malignant prograstric carcinom are CEA+) from positivity is seen pancreas, gallbl Immunogen Purified human Notes mFluor(TM) is a demand. Actual volume will be gothern product Application Details Applications Flow Cytometry Immunohistoches Immunofluorescond Recommended Dilutions Flow Cytometry Immunocytoches | creased amounts in intestinal carcinomas and several other conoclonal antibody reacts with nonspecific cross-reacting antigen in no reaction with a variety of normal tissues and is suitable for alin/paraffin tissues. CEA is not found in benign glands, stroma, ostatic cells. Antibody to CEA is useful in detecting early foci of the and in distinguishing pulmonary adenocarcinomas (60-70% of pleural mesotheliomas (rarely or weakly CEA+). Anti-CEA of in adenocarcinomas from the lung, colon, stomach, esophagus, ladder, urachus, salivary gland, ovary, and endocervix. CEACAM5/CD66e protein (Uniprot: P06731) A trademark of AAT Bioquest, Inc. This conjugate is made on a recovery may vary from the stated volume of this product. The greater than or equal to the unit size stated on the datasheet. |
| Conjugate mFluor Violet 50 | purified |



Images

CEACAM5/CD66e Antibody (C66/1260) [mFluor Violet 500 SE] - Vial of mFluor Violet 500 conjugated antibody. mFluor Violet 500 is optimally excited at 410 nm by the Violet laser (405 nm) and has an emission maximum of 501 nm.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP2-47971MFV500

NBP1-85742PEP CEACAM5/CD66e Recombinant Protein Antigen

DKK300 Kallikrein 3/PSA [HRP] AVI10449-050 CEACAM5/CD66e [Biotin]

NB300-223 Vimentin Antibody

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47971MFV500

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

