## **Product Datasheet**

### S100A9 Antibody (47-8D3 (DF3973)) [Janelia Fluor® 525] NBP2-47980JF525

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47980JF525

Updated 8/16/2024 v.20.1

## Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47980JF525



#### NBP2-47980JF525

S100A9 Antibody (47-8D3 (DF3973)) [Janelia Fluor® 525]

Product Information
---------------------

Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityMonoclonalClone47-8D3 (DF3973)Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateJanelia Fluor 525PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6280Gene SymbolS100A9SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiccy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle as B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells the stomach. S100A9 is accurately inflamed tisset		
services.StorageStore at 4C in the dark.ClonalityMonoclonalClone47-8D3 (DF3973)Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateJanelia Fluor 525PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6280Gene SymbolS100A9SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiccy in hematopoletic organs, Kupffers cells of the skin. It also stains the mantle a B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
ClonalityMonoclonalClone47-8D3 (DF3973)Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateJanelia Fluor 525PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionKouseGene ID6280Gene SymbolS100A9SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle a B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
Clone47-8D3 (DF3973)Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateJanelia Fluor 525PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct Description4000000000000000000000000000000000000		
Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateJanelia Fluor 525PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID6280Gene SymbolS100A9SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
IsotypeIgG1 KappaConjugateJanelia Fluor 525PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6280Gene SymbolS100A9SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
ConjugateJanelia Fluor 525PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID6280Gene SymbolS100A9SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6280Gene SymbolS100A9SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
Buffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6280Gene SymbolS100A9SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
Product DescriptionHostMouseGene ID6280Gene SymbolS100A9SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
HostMouseGene ID6280Gene SymbolS100A9SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
Gene ID6280Gene SymbolS100A9SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
Gene SymbolS100A9SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
SpeciesHuman, Mouse, RatReactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
Reactivity NotesUse in Mouse reported in scientific literature (PMID:32191647).MarkerMacrophage MarkerSpecificity/SensitivityThis monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
Marker Macrophage Marker   Specificity/Sensitivity This monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
<b>Specificity/Sensitivity</b> This monoclonal antibody stains the cytoplasm of macrophages and histiocy in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
in hematopoietic organs, Kupffers cells of the skin. It also stains the mantle z B-lymphocytes of the lymph node and spleen, spermatogonia, and chief cells		
and in chronic inflammation. It is detected in peripheral blood leukocytes, in neutrophils and granulocytes. It is present at sites of vascular inflammation. S100A9 is also expressed in epithelial cells constitutively or induced during dermatoses. S100A9 is a Calcium-binding protein. It has antimicrobial activit towards bacteria and fungi. It is important for resistance to invasion by pathogenic bacteria. It up-regulates transcription of genes that are under the control of NF-kappa-B. S100A9 plays a role in the development of endotoxic shock in response to bacterial lipopolysaccharide (LPS). It promotes tubulin polymerization when unphosphorylated. It also promotes phagocyte migratio and infiltration of granulocytes at sites of wounding. It plays a role as a pro- inflammatory mediator in acute and chronic inflammation and up-regulates th release of IL8 and cell-surface expression of ICAM1.		
ImmunogenHuman peripheral blood monocyte components (Uniprot: P06702)		
Notes Sold under license from the Howard Hughes Medical Institute, Janelia Resea Campus.		
Product Application Details		
Applications Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence		



	Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready
Application Notes	Optimal dilution of this antibody should be experimentally determined.

# **SIOLOGICALS** a **biotechne** brand

#### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47980JF525

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

