# **Product Datasheet**

# DC-SIGNR/CD299/CLEC4M Antibody (16E7) [mFluor Violet 450 SE] NBP2-52649MFV450

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-52649MFV450

Updated 9/20/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-52649MFV450



#### NBP2-52649MFV450

DC-SIGNR/CD299/CLEC4M Antibody (16E7) [mFluor Violet 450 SE]

DC-SIGNR/CD299/CLEC4M	Antibody (16E7) [mFluor Violet 450 SE]
Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	16E7
Preservative	0.05% Sodium Azide
Isotype	IgG Kappa
Conjugate	mFluor Violet 450 SE
Purity	Protein A purified
Buffer	50mM Sodium Borate
<b>Product Description</b>	
Host	Rabbit
Gene ID	10332
Gene Symbol	CLEC4M
Species	Human
Specificity/Sensitivity	Human CD299, which is an oligomeric type II transmembrane protein with a C-type lectin extracellular domain, the expression of which is restricted to immature DC, macrophages in the lung, and endothelial cells in the liver. It binds ICAM-3 and ICAM-7 to mediate the interaction of DC with T lymphocytes and endothelial cells in the initial stages of immune response and in the migratory behavior of DC. CD299 also binds the gp120 protein of HIV and the E2 envelope protein of HCV, thereby playing a role in viral infection.
Immunogen	CD299
<b>Product Application Details</b>	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, CyTOF-ready
Recommended Dilutions	Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, CyTOF-ready

## **Images**

**Application Notes** 

DC-SIGNR/CD299/CLEC4M Antibody (16E7) [mFluor Violet 450 SE] [NBP2-52649MFV450] - Vial of mFluor Violet 450 conjugated antibody. mFluor Violet 450 is optimally excited at 406 nm by the Violet laser (405 nm) and has an emission maximum of 445 nm.





Optimal dilution of this antibody should be experimentally determined.



# **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

# Products Related to NBP2-52649MFV450

NBP2-48770PEP DC-SIGNR/CD299/CLEC4M Recombinant Protein Antigen

6507-IL-010/CF IL-4 [Unconjugated]

162-D2-050 DC-SIGNR/CD299/CLEC4M [Unconjugated]

AF933 ACE-2 Antibody [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-52649MFV450

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



