# **Product Datasheet**

## Complement Factor H Antibody (028B-244.2.10X (10-10)) [PerCP] NBP2-52743PCP

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-52743PCP

Updated 7/30/2024 v.20.1

Earn rewards for product reviews and publications.



Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-52743PCP

## NBP2-52743PCP

Complement Factor H Antibody (028B-244.2.10X (10-10)) [PerCP]

Product Information
---------------------

Product information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	028B-244.2.10X (10-10)
Preservative	0.05% Sodium Azide
Isotype	IgG1
Conjugate	PerCP
Purity	Protein A purified
Buffer	PBS
Product Description	
Host	Mouse
Gene ID	3075
Gene Symbol	CFH
Species	Human
Reactivity Notes	Reacts with Human.
Specificity/Sensitivity	NB100-64342 recognizes human complement factor H which exists in 2 forms. The most common form, of 150 kDa, and the less common form of 43 kDa. Factor H is secreted by the liver into the blood serum. It is important in regulating the complement pathway, preventing unnecessary inflammation which can damage the host tissue. Complement factor H functions as a cofactor in the inactivation of C3b by factor I. It makes C3b susceptible to cleavage by factor I, resulting in iC3b. Factor H also inhibits the formation of the C3bBb complex (C3 convertase) and increases the rate of dissociation of both C3 convertase and the (C3b)NBB complex (C5 convertase). This prevents these components of the classical and of alternative complement pathways from forming a positive feedback loop. Mutations in factor H are associated with hemolytic-uremic syndrome, age-related macular degeneration, membranoproliferative glomerulonephritis (MPGN) type II and chronic hypocomplementemic nephropathy.
Immunogen	Purified human factor H from serum.
Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen
Recommended Dilutions	Western Blot, Flow Cytometry, ELISA, Immunohistochemistry, Immunohistochemistry-Frozen
Application Notes	Optimal dilution of this antibody should be experimentally determined.
4	





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

## Products Related to NBP2-52743PCP

NBP1-97005PCP	Mouse IgG1 Isotype Control (MG1) [PerCP]
NBP2-38695PEP	Complement Factor H Recombinant Protein Antigen
210-TA-005	TNF-alpha [Unconjugated]
DY4779	Complement Factor H [Biotin]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-52743PCP

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

