

# Product Datasheet

## Goat F(ab')<sub>2</sub> anti-Mouse IgG F(ab')<sub>2</sub> Secondary Antibody [FITC] (Pre-adsorbed) NBP2-61929F-0.5ml

Unit Size: 0.5 ml

Store at 4C. Do not freeze.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-61929F](http://www.novusbio.com/NBP2-61929F)

Updated 9/22/2021 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-61929F](http://www.novusbio.com/reviews/destination/NBP2-61929F)



**NBP2-61929F-0.5ml**Goat F(ab')<sub>2</sub> anti-Mouse IgG F(ab')<sub>2</sub> Secondary Antibody [FITC] (Pre-adsorbed)

Product Information	
Unit Size	0.5 ml
Concentration	1 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Conjugate	FITC
Purity	Immunogen affinity purified
Buffer	Phosphate Buffered Saline (PBS) containing 0.2% BSA.
Product Description	
Host	Goat
Species	Mouse
Reactivity Notes	Mouse. Minimum reactivity to human and rat.
Specificity/Sensitivity	Antiserum was solid phase adsorbed to ensure class specificity. Antiserum was cross adsorbed using human and rat immunosorbents to remove cross reactive antibodies. The antibody to mouse F(ab') <sub>2</sub> was isolated by affinity chromatography using antigen coupled to agarose beads. F(ab') <sub>2</sub> fragments were generated using a pepsin digestion. Fc fragments and whole IgG molecules have been removed. Fragments were conjugated to DyLight fluorescein isothiocyanate (FITC). Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG. By immunoelectrophoresis and ELISA this antibody reacts specifically with mouse F(ab') <sub>2</sub> . No antibody was detected against non-immunoglobulin serum proteins. Less than 1% cross reactivity to human and rat F(ab') <sub>2</sub> was detected. This antibody may cross react with F(ab') <sub>2</sub> from other species.
Immunogen	Mouse IgG-F(ab') <sub>2</sub> Fragment
Product Application Details	
Applications	Flow Cytometry, Immunohistochemistry, Immunocytochemistry, Immunofluorescence
Recommended Dilutions	Flow Cytometry 1:50 - 1:200, Immunohistochemistry 1:50 - 1:500, Immunofluorescence 1:50 - 1:500, Immunocytochemistry 1:50 - 1:500



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP2-61929F-0.5ml**

---

NBP1-96816	Donkey IgG F(ab') <sub>2</sub> Isotype Control [Biotin]
------------	---

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-61929F](http://www.novusbio.com/reviews/submit/NBP2-61929F)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

