# **Product Datasheet**

# Goat F(ab')2 anti-Mouse IgG F(ab')2 Secondary Antibody [HRP] (Pre-adsorbed) NBP2-61929H-0.5ml

Unit Size: 0.5 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-61929H

Updated 9/22/2021 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-61929H



## NBP2-61929H-0.5ml

Goat F(ab')2 anti-Mouse IgG F(ab')2 Secondary Antibody [HRP] (Pre-adsorbed)

Goat F(ab')2 anti-Mouse IgG F(ab')2 Secondary Antibody [HRP] (Pre-adsorbed)		
Product Information		
Unit Size	0.5 ml	
Concentration	1 mg/ml	
Storage	Store at 4C. Do not freeze.	
Clonality	Polyclonal	
Preservative	0.05% Pro-Clean 400	
Isotype	IgG	
Conjugate	HRP	
Purity	Immunogen affinity purified	
Buffer	Phosphate Buffered Saline (PBS) containing 0.2% BSA.	
Product Description		
Host	Goat	
Species	Mouse	
Reactivity Notes	Mouse. Minimum reactivity to human and rat.	
Specificity/Sensitivity	Antiserum was solid phase adsorbed to ensure class specificity. Antiserum was cross adsorbed using human and rat immunosorbents to remove cross reactive antibodies. The antibody to mouse F(ab')2 was isolated by affinity chromatography using antigen coupled to agarose beads. F(ab')2 fragments were generated using a pepsin digestion. Fc fragments and whole IgG molecules have been removed. Fragments were conjugated to horseradish peroxidase (HRP). Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG. By immunoelectrophoresis and ELISA this antibody reacts specifically with mouse F(ab')2. No antibody was detected against non-immunoglobulin serum proteins. Less than 1% cross reactivity to human and rat F(ab')2 was detected. This antibody may cross react with F(ab')2 from other species.	
Immunogen	Mouse IgG-F(ab')2 Fragment	
Product Application Details		
Applications	Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry	
Recommended Dilutions	Western Blot, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500,	

<b>Recommended Dilutions</b> Western Blot, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500,	
Immunocytochemistry 1:10-1:500	





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Products Related to NBP2-61929H-0.5ml

NBP1-96816

Donkey IgG F(ab')2 Isotype Control [Biotin]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-61929H

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

