

# Product Datasheet

## **DDIT4L Antibody (DDIT-03) [Janelia Fluor® 525] NBP2-62218JF525**

Unit Size: 0.1 ml

Store at 4C in the dark.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-62218JF525](http://www.novusbio.com/NBP2-62218JF525)

Updated 8/16/2024 v.20.1

**Earn rewards for product  
reviews and publications.**

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-62218JF525](http://www.novusbio.com/reviews/destination/NBP2-62218JF525)



**NBP2-62218JF525**

DDIT4L Antibody (DDIT-03) [Janelia Fluor® 525]

| Product Information |   |
|---------------------|---|
| Unit Size           | 0.1 ml  |
| Concentration       | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage             | Store at 4C in the dark.  |
| Clonality           | Monoclonal  |
| Clone               | DDIT-03   |
| Preservative        | 0.05% Sodium Azide  |
| Isotype             | IgG1  |
| Conjugate           | Janelia Fluor 525   |
| Purity              | Protein A purified  |
| Buffer              | 50mM Sodium Borate  |

| Product Description     |   |
|-------------------------|---|
| Host                    | Mouse   |
| Gene ID                 | 115265  |
| Gene Symbol             | DDIT4L  |
| Species                 | Human   |
| Specificity/Sensitivity | The antibody MEM-18 reacts with CD14, a 53-55 kDa GPI (glycosylphosphatidylinositol)-linked membrane glycoprotein expressed on monocytes, macrophages and weakly on granulocytes; also expressed by most tissue macrophages. In human, the epitope recognized by MEM-18 is located between amino acids 57-64. |
| Immunogen               | N-terminal recombinant fragment of human DDIT4L (amino acids 2-98)  |
| Notes                   | Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus.   |

| Product Application Details |  |
|-----------------------------|--|
| Applications                | Western Blot, Flow Cytometry, Flow (Intracellular)                     |
| Recommended Dilutions       | Western Blot, Flow Cytometry, Flow (Intracellular)                     |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined. |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-  
techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis.  
Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-62218JF525](http://www.novusbio.com/reviews/submit/NBP2-62218JF525)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

