Product Datasheet

CD34 Antibody (My10) - Chimeric - Azide and BSA Free NBP2-62554-0.025mg

Unit Size: 0.025 mg

Store at 4C for up to 3 months. For longer storage, aliquot and store at -20C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-62554

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-62554



NBP2-62554-0.025mg

CD34 Antibody (My10) - Chimeric - Azide and BSA Free	
Product Information	
Unit Size	0.025 mg
Concentration	1 mg/ml
Storage	Store at 4C for up to 3 months. For longer storage, aliquot and store at -20C.
Clonality	Monoclonal
Clone	My10
Preservative	0.02% Proclin 300
Isotype	IgG Kappa
Purity	Protein A purified
Buffer	PBS
Product Description	
Description	Novus Biologicals Rabbit CD34 Antibody (My10) - Chimeric - Azide and BSA Free (NBP2-62554) is a recombinant monoclonal antibody validated for use in IHC, WB, Flow and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	947
Gene Symbol	CD34
Species	Human
Specificity/Sensitivity	Human CD34, an ~105 - 120 kDa type 1 transmembrane glycoprotein expressed on the surface of most human hematopoietic stem and progenitor cells (HSPCs) as well as on mesenchymal stem cells, embryonic fibroblasts, endothelial cells, neurons, and some tumor cell lines.
Immunogen	KG-1a Human myeloblastic leukemic cell line (immature human myeloid cell line) from a patient with nonlymphocytic leukemia
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunohistochemistry, Immunoprecipitation
Recommended Dilutions	Western Blot, Flow Cytometry 1:10 - 1:1000, Immunohistochemistry 1:10 - 1:500, Immunoprecipitation 1:10 - 1:500
Application Notes	This chimeric rabbit antibody was made using the variable domain sequences of the original murine IgG1 format, for improved compatibility with existing reagents, assays and techniques



assays and techniques.

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa


20kDa


Images

Western Blot: CD34 Antibody (My10) - Chimeric [NBP2-62554] - Western Blot using anti-CD34 antibody My10. Jurkat cell extract (35ug protein in RIPA buffer) was resolved on a 10% SDS PAGE gel and blots probed with the chimeric rabbit version of My10 (NBP2-62554) at 0.1 ug/ml before detection using an anti-rabbit secondary antibody. A primary incubation of 1h was used and protein was detected by chemiluminescence. The expected band size for the canonical isoform of CD34 is 40.9kDa, though a second isoform at 35.2kDa is also present, with a 56 amino acid truncation at the C-terminus of the protein (Uniprot ID: Q64314). CD34 is also glycosylated at several positions. NBP2-62554 successfully detected both isoforms of human CD34.

Immunohistochemistry: CD34 Antibody (My10) - Chimeric [NBP2-62554] - Immunohistochemical staining of human placenta tissue using anti-CD34 antibody. My10 Anti-CD34 staining of paraffin embedded human placenta tissue using the rabbit-chimeric version of My10 (NBP2-62554). Antigen retreival was acheived by microwaving in citrate buffer (pH6), followed by blocking with protein block serum-free buffer. Primary antibody incubation with NBP2-62554 was carried out at 4 ug/ml for 30 minutes. Samples were then incubated with an anti-rabbit IgG HRP secondary antibody for 20 mins followed by DAB (3,3'-diaminobenzidine), and counter-staining with haemotoxylin. Strong endothelial staining of within villi may be observed. Recommended concentration, 2-4 ug/ml.

Flow Cytometry: CD34 Antibody (My10) - Chimeric [NBP2-62554] - Flow-cytometry using anti-CD34 antibody My10. Human leukocytes were stained with an isotype control (panel A) or the rabbit-chimeric version of My10 (NBP2-62554, panel B) at a concentration of 1 ug/ml for 30 mins at RT. After washing, bound antibody was detected using a AF488 conjugated donkey anti-rabbit antibody and cells analysed on a FACSCanto flow-cytometer.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-62554

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

