

Product Datasheet

C8orf33 Antibody NBP2-77355

Unit Size: 100 ul

Store at 2 - 8 C / 1 year from date of receipt

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-77355

Updated 10/10/2022 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-77355



NBP2-77355


C8orf33 Antibody

Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 2 - 8 C / 1 year from date of receipt
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	Tris-buffered Saline containing 0.1% BSA
Product Description	
Host	Rabbit
Gene ID	65265
Gene Symbol	C8orf33
Species	Human
Immunogen	The epitope recognized by NBP2-77355 maps to a region between residue 25 and 75 of human UPF0488 protein C8orf33 using the numbering given in entry Q9H7E9.1 (GeneID 65265).
Product Application Details	
Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000, Immunoprecipitation 50-100 ul/mg lysate




Images

Western Blot: C8orf33 Antibody [NBP2-77355] - Samples: Whole cell lysate (15 ug) from HEK293T, HeLa, A-549, K-562, and MCF-7 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-C8orf33 antibody NBP2-77355 used for WB at 1:1000. Detection: Chemiluminescence with an exposure time of 75 seconds.



Immunoprecipitation: C8orf33 Antibody [NBP2-77355] - Detection of human C8orf33 by western blot of immunoprecipitates. Samples: Whole cell lysate (1.0 mg per IP reaction; 20% of IP loaded) from 293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-C8orf33 antibody NBP2-77355 used for IP at 6 ul per reaction. C8orf33 was also immunoprecipitated by another rabbit anti-C8orf33 antibody. For blotting immunoprecipitated C8orf33, NBP2-77355 was used at 1:1000. Detection: Chemiluminescence with an exposure time of 30 seconds.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-
techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-77355

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

